

IMPORTANT: Provide this information to employees, customers, and users of this product. Read this SDS before handling or disposing of this product. This product is covered by the OSHA Hazard Communication Standard and this document has been prepared in accordance with requirements of this standard. All abbreviated terms used in this SDS are further described in Section 16.

1. Identification

Product Name:	Tankbond Thread Locker High Strength	Revision Date:	4/12/2022
Product UPC Number:	070798001664	Supercedes Date:	12/29/2021
2400 Bos	DAP Global Inc. 2400 Boston Street Suite 200 Baltimore, MD 21224-4723	Product Use/Class: SDS No:	Adhesive 1020704
	888-327-8477 (non - emergency matters) SDS Coordinator: MSDS@dap.com	Preparer:	Regulatory and Environmental Affairs
	Emergency Telephone: 1-800-535-5053, 1-352-323-3500, 1-800-222-1222		

2. Hazards Identification

EMERGENCY OVERVIEW: KEEP OUT OF REACH OF CHILDREN!Skin and eye irritant. Contains epoxy constituents. See information supplied by the manufacturer.

GHS Classification

Acute Tox. 4 Inhalation, Carc. 2, Eye Irrit. 2, Skin Irrit. 2

Symbol(s) of Product



Signal Word Warning

Possible Hazards 79% of the mixture consists of ingredients of unknown acute toxicity SAP Number:

Eye Irritation, category 2 Acute Toxicity, Inhalation, category 4 Carcinogenicity, category 2	H319 H332 H351	Causes serious eye irritation. Harmful if inhaled. Suspected of causing cancer.
GHS LABEL PRECAUTIONARY STATE		
P201	•	ial instructions before use.
P261	Avoid breat	hing dust/fume/gas/mist/vapours/spray.
P264	Wash thoro	ughly after handling.
P271	Use only ou	tdoors or in a well-ventilated area.
P280	Wear protect	ctive gloves/protective clothing/eye protection/face protection.
P281	Use person	al protective equipment as required.
P302+P352	IF ON SKIN	: Wash with plenty of soap and water.
P304+P340	IF INHALED): Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338		Rinse cautiously with water for several minutes. Remove contact lenses, if easy to do. Continue rinsing.
P308+P313	IF exposed	or concerned: Get medical advice/attention.
P312	Call a POIS	ON CENTER or doctor/physician if you feel unwell.
P321	Specific trea	atment (see on this label).
P332+P313	If skin irritat	ion occurs: Get medical advice/attention.
P337+P313	lf eye irritati	on persists: Get medical advice/attention.
P362	Take off cor	ntaminated clothing.
P405	Store locked	d up.
P501	Dispose of o	contents/container.

3. Composition/Information on Ingredients

<u>Chemical Name</u>	CAS-No.	Wt. % GHS Symbols	GHS Statements
Poly (10-200) ethylene glycol dimethacrylate	25852-47-5	15-40 GHS07	H315-319
2-Propenoic acid, 2-methyl-, monoester with 1,2- propanediol	27813-02-1	10-30 No Information	No Information
Hydrophobic fumed silica	67762-90-7	5-10 No Information	No Information
'coumin 100' polymer flakes	63393-89-5	5-10 No Information	No Information
Cumene hydroperoxide	80-15-9	1-5 GHS02-GHS05- GHS06-GHS07- GHS08	H242-302-310-314-330-335-373
2-Propenoic acid, 2-methyl-, octadecyl ester	32360-05-7	0.5-1.5 GHS07	H315-319-335
Cumene	98-82-8	0.1-1.0 GHS02-GHS07- GHS08	H226-302-304-332-335-351

The text for GHS Hazard Statements shown above (if any) is given in the "Other information" Section.

4. First-aid Measures

FIRST AID - INHALATION: If you experience difficulty in breathing, leave the area to obtain fresh air. If continued difficulty is experienced, get medical attention immediately.

FIRST AID - SKIN CONTACT: In case of contact, wash skin immediately with soap and water.

FIRST AID - EYE CONTACT: In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

FIRST AID - INGESTION: If swallowed do not induce vomiting. Seek immediate medical attention.

5. Fire-fighting Measures

UNUSUAL FIRE AND EXPLOSION HAZARDS: No Information

SPECIAL FIREFIGHTING PROCEDURES: Wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear. Use water spray to cool exposed surfaces.

EXTINGUISHING MEDIA: Alcohol Foam, Carbon Dioxide, Dry Chemical, Foam, Water Spray or Fog

6. Accidental Release Measures

ENVIRONMENTAL MEASURES: No Information

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: Dike to prevent entering any sewer or waterway. Use personal protective equipment as necessary. In case of spillage, absorb with inert material and dispose of in accordance with applicable regulations. Use absorbent material or scrape up dried material and place in container. Never discard in a liquid state.

7. Handling and Storage

HANDLING: KEEP OUT OF REACH OF CHILDREN!DO NOT TAKE INTERNALLY. Provide adequate ventilation. Avoid contact with eyes, skin and clothing.

STORAGE: Store away from caustics and oxidizers. Keep containers tightly closed.

```
8. Exposure Controls/Personal Protection
```

Ingredients with Occupational Exposure Limits				
Chemical Name	ACGIH TLV-TWA	ACGIH-TLV STEL	<u>OSHA PEL-TWA</u>	OSHA PEL-CEILING
Poly (10-200) ethylene glycol dimethacrylate	N.E.	N.E.	N.E.	N.E.
2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol	N.E.	N.E.	N.E.	N.E.
Hydrophobic fumed silica	N.E.	N.E.	N.E.	N.E.
'coumin 100' polymer flakes	N.E.	N.E.	N.E.	N.E.
Cumene hydroperoxide	N.E.	N.E.	N.E.	N.E.
2-Propenoic acid, 2-methyl-, octadecyl ester	N.E.	N.E.	N.E.	N.E.
Cumene	5 ppm TWA	N.E.	50 ppm TWA, 245 mg/m3 TWA	N.E.

Further Advice: MEL = Maximum Exposure Limit OES = Occupational Exposure Standard SUP = Supplier's Recommendation Sk = Skin Sensitizer N.E. = Not Established

Personal Protection



RESPIRATORY PROTECTION: No personal respiratory protective equipment normally required. In case of insufficient ventilation, wear suitable respiratory equipment.



SKIN PROTECTION: Impervious gloves. Wear nitrile, neoprene, or natural rubber gloves.



EYE PROTECTION: Goggles or safety glasses with side shields.



OTHER PROTECTIVE EQUIPMENT: Impervious clothing.

HYGIENIC PRACTICES: Wash thoroughly after handling. Avoid contact with eyes, skin, and clothing. Do not ingest or inhale. Do not expose container to heat or flame. Contaminated clothing should be changed and washed before reuse. Eating, drinking and smoking in immediate work area should be prohibited.

9. Physical and Chemical Properties

Appearance:	Red
Odor:	Characteris
Density, g/cm3:	1.10 - 1.10
Freeze Point, °C:	Not Establis
Solubility in Water:	Not Establis
Decomposition Temperature, °C:	Not Establis
Boiling Range, °C:	200 - 200
Minimum Flash Point, °C:	95
Evaporation Rate:	Slower Tha
Vapor Density:	Heavier Tha
Combustible Dust:	Does not su

Characteristic 1.10 - 1.10 Not Established Not Established 200 - 200 95 Slower Than n-Butyl Acetate Heavier Than Air Does not support combustion Physical State: Odor Threshold: pH: Viscosity (mPa.s): Partition Coeff., n-octanol/water: Explosive Limits, %: Auto-Ignition Temperature, °C Vapor Pressure, mmHg: Flash Method: Flammability, NFPA: Liquid Not Established Not Applicable Not Established Not Established N.E. - N.E. Not Established Not Established Seta Closed Cup Flammable Liquid Class IIIB

(See "Other information" Section for abbreviation legend) (If product is an aerosol, the flash point stated above is that of the propellant.)

10. Stability and Reactivity

STABILITY: Stable under normal conditions.

CONDITIONS TO AVOID: Excessive heat and freezing.

INCOMPATIBILITY: None under normal processing.

HAZARDOUS DECOMPOSITION PRODUCTS: To avoid thermal decomposition, do not overheat.

11. Toxicological Information

EFFECT OF OVEREXPOSURE - INHALATION: Inhalation may cause irritation to the respiratory tract (nose, mouth, mucous membranes).

EFFECT OF OVEREXPOSURE - SKIN CONTACT: Immediate bonding of skin may result upon contact.

EFFECT OF OVEREXPOSURE - EYE CONTACT: Causes severe eye irritation.

EFFECT OF OVEREXPOSURE - INGESTION: Harmful if swallowed.

CARCINOGENICITY: No Information

EFFECT OF OVEREXPOSURE - CHRONIC HAZARDS: Chronic exposure may cause dermatitis.

PRIMARY ROUTE(S) OF ENTRY: Skin Contact, Inhalation

Acute Toxicity Values

The acute effects of this product have not been tested. Data on individual components are tabulated below

<u>CAS-No.</u> 25852-47-5	Chemical Name Poly (10-200) ethylene glycol dimethacrylate	<u>Oral LD50</u> N.I.	<u>Dermal LD50</u> N.I.	Vapor LC50 N.I.
27813-02-1	2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol	11200 mg/kg Rat	>5000 mg/kg Rabbit	N.I.
67762-90-7	Hydrophobic fumed silica	N.I.	N.I.	N.I.
63393-89-5	'coumin 100' polymer flakes	N.I.	N.I.	N.I.
80-15-9	Cumene hydroperoxide	382 mg/kg Rat	134 mg/kg Rabbit	N.I.
32360-05-7	2-Propenoic acid, 2-methyl-, octadecyl ester	N.I.	N.I.	N.I.
98-82-8	Cumene	1400 mg/kg Rat	3160 mg/kg Rabbit	N.I.

N.I. = No Information

12. Ecological Information

ECOLOGICAL INFORMATION: Ecological injuries are not known or expected under normal use.

13. Disposal Information

DISPOSAL INFORMATION: This product does not meet the definition of a hazardous waste according to U.S. EPA Hazardous Waste Management Regulation, 40 CFR Section 261. Dispose as hazardous waste according to all local, state, federal and provincial regulations. State and Local regulations/restrictions are complex and may differ from Federal regulations. Responsibility for proper waste disposal is with the owner of the waste. Do not flush into surface water or sanitary sewer system.

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: Dike to prevent entering any sewer or waterway. Use personal protective equipment as necessary. In case of spillage, absorb with inert material and dispose of in accordance with applicable regulations. Use absorbent material or scrape up dried material and place in container. Never discard in a liquid state.

14. Transport Information

DOT UN/NA Number:	N.A.
DOT Proper Shipping Name: DOT Technical Name:	Not Regulated N.A.
DOT Hazard Class:	N.A.
Hazard SubClass:	N.A.
Packing Group:	N.A.

15. Regulatory Information

U.S. Federal Regulations:

CERCLA - SARA Hazard Category

This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

Carcinogenicity, Acute Toxicity (any route of exposure), Skin Corrosion or Irritation, Serious eye damage or eye irritation

SARA SECTION 313:

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40 CFR part 372:

<u>Chemical Name</u>	<u>CAS-No.</u>
Cumene hydroperoxide	80-15-9
Cumene	98-82-8

TOXIC SUBSTANCES CONTROL ACT:

All ingredients in this product are either on TSCA inventory list, or otherwise exempt. This product contains the following chemical substances subject to the reporting requirements of TSCA 12(B) if exported from the United States:

No TSCA 12(b) components exist in this product.

SAP Number:

16. Other Information Supersedes Date: 12/29/2021 **Revision Date:** 4/11/2022 Reason for revision: Substance and/or Product Properties Changed in Section(s): 01 - Product Information 08 - Exposure Controls/Personal Protection Datasheet produced by: **Regulatory Department** HMIS Ratings: Health: Flammability: **Reactivity: Personal Protection:** 2* 0 0 Х VOC Less Water Less Exempt Solvent, g/L: 14.4 VOC Material, g/L: 14


VOC as Defined by California Consumer Product Regulation, Wt/Wt%: 27.02

VOC Actual, Wt/Wt%: 1.3

Text for GHS Hazard Statements shown in Section 3 describing each ingredient:

H226	Flammable liquid and vapour.
H242	Heating may cause a fire.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.

Icons for GHS Pictograms shown in Section 3 describing each ingredient:



Legend: N.A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined

DAP believes the data and statements contained herein are accurate as of the date hereof. They are offered in good faith as typical values and not as a product specification. NO WARRANTY OF MERCHANTABILITY, WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, IS MADE WITH REGARD TO THE INFORMATION HEREIN PROVIDED OR THE PRODUCT TO WHICH THE INFORMATION REFERS. Since this document is intended only as a guide to the appropriate use and precautionary handling of the referenced product by a properly trained person, it is therefore the responsibility of the user to (i) review the recommendations with due consideration for the specific context of the intended use and (ii) determine if they are appropriate.