



**ON THE JOB**  

---

**SINCE 1865**<sup>TM</sup>



## General Information

Each product is identified by size and color with a case code number. Please use this number when ordering.

Current Minimum Order Amount: \$250.00

Current Minimum Order Amount

(Prepaid Freight): \$1,250.00

## Order Codes

DAP: 70798

Phenomenal Brands: 51136

Touch 'n Foam/Touch 'n Seal: 75650

## Customer Service Information

Call our Customer Service Department for assistance on order placement, deliveries, billing inquiries and authorization to return materials.

## Customer Service Department

800-327-3339

410-675-2100

(8:00 a.m. – 6:00 p.m. Eastern Time)

Monday-Friday

## Mail correspondence and confirming purchase orders to:

DAP Products Inc.

2400 Boston Street, Suite 200

Baltimore, MD 21224

Fax orders to: 410-558-1068

E-mail orders to: [orders@dap.com](mailto:orders@dap.com)

## International Customer Service

800-323-0645

(8:00 a.m. – 6:00 p.m. Eastern Time)

## Technical Customer Service

888-327-8477 or 888-DAP-TIPS

(8:00 a.m. – 6:00 p.m. Eastern Time)

Monday-Saturday

Chat: LiveChat at [dap.com](http://dap.com)

Email: Ask-The-Expert at [dap.com](mailto:dap.com)

## Corporate Office Baltimore

800-543-3840

410-675-2100

## Supplemental Price Lists

For a copy of a current price list and conditions of sale, please contact your sales representative.

## SDS Requests

To obtain an SDS for any DAP product, please visit our website [dap.com](http://dap.com) or call 888-327-8477 or 888-DAP-TIPS.

## Reduce Environmental Impact by Choosing Low VOC Content Products



DAP is dedicated to the development of adhesives and sealants with low volatile organic compound (VOC) content. Many of our products actually have a low enough VOC content, indicated by this symbol, to meet one or more of the guidelines outlined below:

- The South Coast Air Quality Management District (SCAQMD) Rule # 1168
- The Bay Area Air Quality Management District Regulation 8, Rule 51
- U.S. Green Building Council® LEED® - NC Green Building Rating System for New Construction & Major Renovations Version 2.2, EQ Credit 4.1 (Indoor Environmental Quality – Low Emitting Materials: Adhesives & Sealants)
- NAHB Model GREEN Home Building Guideline Section 7.1.3 (Global Impact - Products)

## Increase Energy Efficiency by Sealing the Building Envelope



In order to meet green building guidelines for energy efficiency you will need to take an integrated and comprehensive approach to an energy efficient design of the building site, the building envelope and mechanical space conditioning systems. Utilize products highlighted with this symbol when sealing the building envelope in accordance with the following guidelines:

- U.S. Green Building Council® LEED® - NC Green Building Rating System for New Construction and Major Renovations Version 2.2, ea Prerequisite 2 for Minimum Energy Performance. (Energy & Atmosphere – Minimum Energy Performance)
- NAHB Model GREEN Home Building Guidelines Section 3.3.1 Building Envelope (PP) B. (Energy Efficiency – Implement an Integrated and Comprehensive Approach to Energy – Efficient Design of Building Site, Building Envelope and Mechanical Space Conditioning Systems)
- ANSI/ASHRAE/IESNA Standard 90.1-2004 – Energy Standard for Buildings Except Low Rise Residential Buildings SI Edition – Section 5.4 and 5.5 (Building Envelope)



## Retail Product Guide

### Table of Contents

#### DAP® Caulks & Sealants

Paint Projects Sealants . . . . .	1
Kitchen/Bath Sealants . . . . .	5
Specialty Sealants . . . . .	9
Kitchen/Bath Advanced Sealants & Silicones . . . . .	7
Window/Door Advanced Sealants & Silicones . . . . .	9
Specialty Sealants . . . . .	17
Specialty Advanced Sealants & Silicones . . . . .	24
Accessories . . . . .	26

#### DAP® Repair Products

Spackling Compounds . . . . .	27
Joint Compounds . . . . .	35
Plasters & Stuccos . . . . .	33
Wood Repair . . . . .	36
Glazing Compounds . . . . .	41
Concrete & Masonry . . . . .	42
Miscellaneous . . . . .	45

#### DAP® Adhesives

Contact Cements . . . . .	46
Industrial Contact Cements . . . . .	47
Spray Adhesives . . . . .	48
All Purpose Adhesives . . . . .	49
Specialty Adhesives . . . . .	51
Wood Glue . . . . .	53
DynaGrip® Construction Adhesives . . . . .	54
Cartridge & Canned Construction Adhesives . . . . .	59
Floor Covering Adhesives . . . . .	60

#### DAP® Foam Products

1-Component Straw Foams . . . . .	63
1-Component Gun Foams . . . . .	66
1-Component Sealants . . . . .	69
2-Component Kits . . . . .	72
Foam HVAC Kits . . . . .	75
2-Component Systems . . . . .	76
Specialty Products . . . . .	77
Accessories . . . . .	80



**DAP® ALEX PLUS®**  
**All Purpose**  
**Acrylic Latex Caulk**  
**Plus Silicone**



Excellent quality, all purpose caulk ideal for sealing a wide variety of interior & exterior surfaces. Contains silicone additives for greater flexibility, adhesion & crack resistance.

- 40 Year
- 30 minute paint ready
- Won't shine through or discolor paint
- Shrinks less for a durable seal\*
- Easy to apply & tool
- Multi-surface adhesion
- Easy water clean up & low odor
- 100% waterproof
- Cured caulk is mold & mildew resistant
- Interior/exterior use
- Exceeds ASTM C834



**Use for sealing around:** Windows, Doors, Siding, Trim & Molding


\*When compared to DAP® ALEX® Painter's Caulk

Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18128	5.5 fl oz	WHITE	18128	7.91	12	9.5"x7.25"x4.25"	0.17	1	240
18152	10.1 fl oz	WHITE	18101	14.50	12	8"x6"x12"	0.33	4	108
18103	10.1 fl oz	WHITE	18101	36.25	30	12"x10"x12"	0.83	4	48
18156	10.1 fl oz	CLEAR	18071	9.76	12	8"x6"x12"	0.33	0	108
18072	10.1 fl oz	CLEAR	18071	24.20	30	12"x10"x12"	0.83	0	48
18401	10.1 fl oz	CRYSTAL CLEAR	18401	9.95	12	8"x6"x12"	0.33	5	108
18172	10.1 fl oz	ANTIQUE WHITE	18172	14.97	12	8"x6"x12"	0.33	4	108
18130	10.1 fl oz	ALMOND	18135	14.50	12	8"x6"x12"	0.33	9	108
18118	10.1 fl oz	SLATE GRAY	18110	14.45	12	8"x6"x12"	0.33	6	108
18122	10.1 fl oz	CEDAR TAN	18111	14.40	12	8"x6"x12"	0.33	3	108
18120	10.1 fl oz	BROWN	18112	14.50	12	8"x6"x12"	0.33	0	108
18124	10.1 fl oz	DARK BRONZE	18109	14.50	12	8"x6"x12"	0.33	0	108
18126	10.1 fl oz	BLACK	18107	14.25	12	8"x6"x12"	0.33	6	108

**DAP® ALEX PLUS®**  
**All Purpose**  
**Acrylic Latex Caulk**  
**Plus Silicone**  
**Contractor Pack**



Buy by the case and save! Designed for purchase by the case by Professional Contractors. Each pack contains 12 cartridges of ALEX PLUS® All Purpose Acrylic Latex Caulk Plus Silicone.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18656	10.1 fl oz	WHITE	18101	14.50	12	8"x6"x12"	0.33	4	108
18660	10.1 fl oz	CLEAR	18071	9.76	12	8"x6"x12"	0.33	0	108



DAP® ALEX PLUS® All Purpose Easy Caulk Acrylic Latex Caulk Plus Silicone



- ALEX PLUS® formula in a convenient, easy-to-use can with compressed air.
• No caulk gun needed!
• Gives perfect control for a smooth, consistent bead with no messy afterflow
• Ideal for use in tight spaces
• Easily navigates tight spaces & corners

Use for sealing around: Windows, Doors, Siding, Trim & Molding



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lb), Case Pack, Case Dimensions LxWxH, Case Volume (cu ft), UPC Check Digit, Cases per Pallet. Row 1: 18736, 16 oz, WHITE, 18725, 12.00, 9, 7.5"x7"x10.75", 0.33, 2, 140

DAP® ALEX FAST DRY® Acrylic Latex Caulk Plus Silicone



Specifically formulated to meet the demanding needs of the Professional Painter & deliver outstanding paint finish results. Offers fast paint ready times to finish the job faster. Contains silicone additives for greater flexibility, adhesion & crack resistance.

- 50 Year
• 20 Minute paint ready / spray paint immediately
• Won't shine through or discolor paint
• Reduced dirt pickup
• Easy to apply & tool
• Multi-surface adhesion
• Easy water clean up & low odor
• 100% waterproof
• Cured caulk is mold & mildew resistant
• Interior / exterior use
• Exceeds ASTM C834

Use for sealing around: Windows, Doors, Siding, Trim & Molding



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lb), Case Pack, Case Dimensions LxWxH, Case Volume (cu ft), UPC Check Digit, Cases per Pallet. Rows 1-3: 18408, 18436, 18425

DAP® ALEX FAST DRY® Acrylic Latex Caulk Plus Silicone Contractor Pack



Buy by the case and save! Designed for purchase by the case by Professional Contractors. Each pack contains 12 cartridges of ALEX FAST DRY® Acrylic Latex Caulk Plus Silicone.



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lb), Case Pack, Case Dimensions LxWxH, Case Volume (cu ft), UPC Check Digit, Cases per Pallet. Row 1: 18426, 10.1 oz, WHITE, 18425, 14.75, 12, 8"x6"x12", 0.33, 1, 108



**DAP® ALEX FLEX®  
Premium Molding & Trim  
Acrylic Latex Sealant**



Specifically formulated for use on demanding molding & trim applications. A premium performance sealant that delivers maximum adhesion & flexibility for a crack proof seal. Ideal for achieving a professional looking finish

- 60 Year
- 30 minute paint ready
- Won't shine through or discolor paint
- Easy to apply & tool
- Strong, multi-surface adhesion
- Easy water clean up & low odor
- 100% waterproof
- Cured caulk is mold & mildew resistant
- Interior / exterior use
- Meets ASTM C920, Class 12.5

**Ideal for use** on wood, PVC & composite molding & trim



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18542	10.1 fl oz	WHITE	18542	13.64	12	8"x6"x12"	0.33	5	108
11456	10.1 fl oz	ANTIQUE WHITE	11456	13.64	12	8"x6"x12"	0.33	2	108
11455	5.5 fl oz	WHITE	11455	7.23	12	9.5"x7.25"x4.25"	0.17	5	144

**DAP® ALEX®  
Painter's  
Acrylic Latex Caulk**

All purpose acrylic latex painter's caulk that applies smoothly & easily to a wide variety of surfaces.

- 25 Year
- 2 hour paint ready
- Easy water clean up & low odor
- Cured caulk is mold & mildew resistant
- Interior/exterior use
- Meets ASTM C834

**Use for sealing around:** Windows, Doors, Baseboards & Trim



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18670	10.1 fl oz	WHITE	18065	14.40	12	8"x6"x12"	0.33	9	108
18609	10.1 fl oz	WHITE	18065	35.80	30	12"x10"x12"	0.83	9	48

**DAP® ALEX®  
Painter's  
Acrylic Latex Caulk  
Contractor Pack**

Buy by the case and save! Designed for purchase by the case by Professional Contractors. Each pack contains 12 cartridges of ALEX® Painter's Acrylic Latex Caulk.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18618	10.1 fl oz	WHITE	18065	14.40	12	8"x6"x12"	0.33	9	108



**DAP® RELY-ON®  
Latex Caulk**

Economical latex for general caulking purposes.

- 7 Year
- Paintable
- Easy water clean up & low odor



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18260	10.1 fl oz	WHITE	18250	14.40	12	8"x6"x12"	0.33	9	108



DAP® KWIK SEAL ULTRA® Premium Siliconized Kitchen & Bath Sealant



High performance, advanced siliconized kitchen & bath sealant that repels water, soap scum, stains and dirt and offers a lifetime mold and mildew resistance guarantee so the sealant stays looking clean, fresh and new. It offers long-lasting durability and excellent adhesion to a wide range of materials.

- Repels water, soap scum, stains & dirt
• Sealant stays looking clean, fresh & new
• Lifetime mold & mildew resistance guarantee
• 4 hour water ready
• 100% waterproof
• Crack & stain proof
• Flexible
• Safe for granite & marble
• Easy to apply & tool
• Easy water clean up & low odor
• Lifetime Guarantee

Ideal for sealing: Sinks, Tubs, Showers, Countertops, Backsplashes, Vanities & Fixtures



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lb), Case Pack, Case Dimensions LxWxH, Case Volume (cu ft), UPC Check Digit, Cases per Pallet. Lists various sealant products and their specifications.

DAP® KWIK SEAL PLUS® Premium Kitchen & Bath Adhesive Sealant with MoldGuard Antimicrobial Product Protection



Premium adhesive sealant with MoldGuard Antimicrobial Product Protection fights the growth of stain & odor-causing bacteria, mold & mildew on the sealant. Specially formulated siliconized latex provides excellent adhesion and flexibility for a durable, 100% waterproof seal. Backed by a Crack Proof Guarantee.

- MoldGuard Antimicrobial Product Protection fights the growth of stain & odor-causing mold & mildew on the sealant
• 18 hour water ready
• 100% waterproof
• Flexible
• Easy to apply & tool
• 2 hour paint ready
• Easy water clean up & low odor
• Crackproof Guarantee

Ideal for sealing: Sinks, Tubs, Showers, Countertops, Backsplashes, Vanities & Fixtures



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lb), Case Pack, Case Dimensions LxWxH, Case Volume (cu ft), UPC Check Digit, Cases per Pallet. Lists various sealant products and their specifications.



DAP® KWIK SEAL® Kitchen & Bath Adhesive Caulk



America's number one selling brand of kitchen and bath latex caulk.

- Bonds like a glue, seals like a caulk
- Cured caulk is mold & mildew resistant
- 24 hour water ready
- 100% waterproof
- Easy to apply & tool
- 2 hour paint ready
- Easy water clean up & low odor

Use for sealing around: Sinks, Tubs, Showers, Countertops, Backsplashes, Vanities & Fixtures



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18034	5.5 fl oz	WHITE	18001	4.02	6	9.75"x5.5"x3.5"	0.09	7	468
18873	5.5 fl oz	WHITE	18001	9.74	15	7.75"x7.37"x10"	0.33	7	120
18001	5.5 fl oz	WHITE	18001	7.91	12	9.5"x7.25"x4.25"	0.17	7	240
18040	5.5 fl oz	CLEAR	18008	3.87	9	7.25"x7.19"x10"	0.30	6	120
18008	5.5 fl oz	CLEAR	18008	5.19	12	9.5"x7.25"x4.25"	0.17	6	240
18041	5.5 fl oz	ALMOND	18013	5.44	9	7.25"x7.19"x10"	0.30	0	120
18013	5.5 fl oz	ALMOND	18013	7.52	12	9.5"x7.25"x4.25"	0.17	0	240
18032	10.1 fl oz	WHITE	18002	14.75	12	8"x6"x12"	0.33	4	108
18242	10.1 fl oz	CLEAR	18242	9.76	12	8"x6"x12"	0.33	4	108
18042	10.1 fl oz	ALMOND	18042	13.56	12	8"x6"x12"	0.33	0	108

DAP® SIMPLE SEAL® Kitchen & Bath Easy-to-Use Home Sealant



Easy way to fill and seal gaps around tubs, sinks, showers, countertops or anywhere a clean, waterproof seal is needed in kitchens and bathrooms. NO CAULK GUN NEEDED! Simply press and seal to dispense an even bead of caulk. Compact design fits in the palm of the hand to easily navigate tight spaces and corners. Use SIMPLE SEAL® to seal out water and moisture or replace stained or mildewed caulk.

- Cured sealant is mold & mildew resistant
- 24 hour water ready
- 100% waterproof
- Flexible
- Easy to apply & tool
- 2 hour paint ready
- Low odor
- Easy water clean up
- No caulk gun needed

Use for sealing around: Sinks, Tubs, Showers, Countertops, Backsplashes, Vanities & Fixture



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18772	9 oz	WHITE	18772	6.64	9	7.25"x7.06"x9.56"	0.283	6	140



DAP® 3.0™ Kitchen, Bath & Plumbing High Performance Sealant



High performance sealant offers 10 year mold resistance and is specially formulated with MoldGuard Antimicrobial Product Protection to fight the growth of stain and odor-causing mold and mildew on the sealant. It is water and paint ready in just 30 minutes, saving time. It provides excellent adhesion and flexibility for a durable, 100% waterproof seal.

- 10 year MoldGuard mold & mildew resistance
- 30 minute water ready
- 100% waterproof
- Excellent Flexibility
- Shrink & crackproof
- Safe for granite & marble
- 30 minute paint ready
- Low odor
- Lifetime Guarantee



Use for sealing around: Sinks, Tubs, Showers, Countertops, Backsplashes, Vanities & Fixtures

Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00790	9.0 fl oz	GLOSS WHITE	00790	12.80	12	8"x6"x12"	0.33	1	108
00795	9.0 fl oz	CRYSTAL CLEAR	00795	9.90	12	8"x6"x12"	0.33	6	108

DAP® SILICONE MAX® Premium Kitchen & Bath 100% Silicone Sealant



Provides maximum silicone performance to seal out water and moisture in kitchen and bathroom applications. It is backed by a 20 year mold and mildew resistance guarantee and offers maximum flexibility and adhesion for a crack proof, 100% waterproof seal.

- NSF Certified
- 20 year mold & mildew resistance
- 30 minute water ready
- 100% waterproof
- Maximum flexibility
- Shrink & crackproof
- Safe for granite & marble
- Lifetime Guarantee



Use for sealing around: Sinks, Tubs, Showers, Countertops, Backsplashes, Vanities & Fixtures

Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
08795	2.8 fl oz	GLOSS WHITE	08795	2.75	12	7.56"x5.68"x8.25"	0.20	8	200
08794	2.8 fl oz	CLEAR	08794	2.75	12	7.56"x5.68"x8.25"	0.20	1	200
08667	10.1 fl oz	GLOSS WHITE	08667	9.17	12	8"x6"x12"	0.33	8	108
08668	10.1 fl oz	CLEAR	08668	9.17	12	8"x6"x12"	0.33	5	108
08793	10.1 fl oz	GLOSS ALMOND	08793	9.17	12	8"x6"x12"	0.33	4	108



DAP® SILICONE PLUS™ Premium Kitchen & Bath 100% Silicone Rubber Sealant



Premium quality, 100% silicone rubber sealant that provides outstanding durability and flexibility for a long-lasting, 100% waterproof seal.

- 5 year mold & mildew resistance
- 30 minute water ready
- 100% waterproof
- Excellent flexibility
- Shrink & crackproof
- Low odor
- Lifetime Guarantee

Use for sealing around: Sinks, Tubs, Showers, Countertops, Backsplashes, Vanities & Fixtures



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
08770	10.8 fl oz	WHITE	08770	11.96	12	8"x6"x12"	0.33	5	108
08781	10.8 fl oz	CLEAR	08781	11.96	12	8"x6"x12"	0.33	1	108
08785	10.8 fl oz	ALMOND	08785	11.96	12	8"x6"x12"	0.33	9	108

DAP® Kitchen & Bath 100% Silicone Rubber Sealant

100% silicone rubber sealant provides excellent adhesion for a long-lasting, 100% waterproof seal.

- Cured sealant is mold & mildew resistant
- 12 hour water ready
- 100% waterproof
- Crack resistant
- Flexible
- Minimal shrinkage

Use for sealing around: Sinks, Tubs, Showers, Countertops, Backsplashes, Vanities & Fixtures



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00750	2.8 fl oz	WHITE	00680	1.55	6	8.44"x4.75"x4.12"	0.10	5	495
00751	2.8 fl oz	CLEAR	00751	1.55	6	8.44"x4.75"x4.12"	0.10	2	495
08640	9.8 fl oz	WHITE	08640	9.17	12	8"x6"x12"	0.33	1	108
08648	9.8 fl oz	CLEAR	08648	9.17	12	8"x6"x12"	0.33	7	108

DAP® Commercial Kitchen 100% Silicone Sealant



100% silicone sealant is ideal for sealing in commercial and industrial kitchens and is approved for food-zone areas. It is 100% waterproof and has a wide temperature range of -40°F to 400°F. Meets FDA Reg 21, CFR 177.2600 and is certified by NSF/ANSI Standard 51.

- NSF Certified
- Cured sealant is mold & mildew resistant
- 1 hour water ready
- 100% waterproof
- Flexible
- Shrink & crackproof

Use for sealing around: Commercial Kitchens, Sinks, Countertops & Backsplashes



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
08656	9.8 fl oz	WHITE	08656	9.50	12	8"x6"x12"	0.33	2	108
08658	9.8 fl oz	CLEAR	08658	9.50	12	8"x6"x12"	0.33	6	108
08660	9.8 fl oz	STAINLESS STEEL	08660	9.50	12	8"x6"x12"	0.33	9	108



DAP® DYNAFLEX ULTRA™ Advanced Exterior Sealant



ALL WEATHER PROTECTION



Powered by innovative WEATHER MAX Technology™ for long-lasting, All Weather Protection. Provides exceptional UV resistance against color fading, yellowing, cracking, chalking and crumbling so the sealant stays looking new. Resists dirt build-up and water absorption for a durable seal that stands up to the elements.

- Lifetime Mold, Mildew & Algae Resistance
• Exceptional UV resistance: won't fade, yellow, crack, chalk, crumble or breakdown
• Stays permanently flexible
• Strong multi-material adhesion
• Seals joints up to 3" wide
• 1 hour rain & paint ready\* for better productivity
• Easy gunning & smooth tooling for less fatigue
• Easy water clean up & low odor
• Exterior/interior
• Lifetime Guarantee
• Meets ASTM C920, Class 35 (White & Colors); Class 25 (Clear)



Use for sealing around: Windows, Doors, Siding, Trim, Pipes, Vents, Gutters & Flashing

\*Clear is water ready in 2 hours

Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lb), Case Pack, Case Dimensions LxWxH, Case Volume (cu ft), UPC Check Digit, Cases per Pallet. Lists 11 product variants from 18211 to 18221.



**DAP® DYNAFLEX 230® Premium  
100% Waterproof  
Indoor/Outdoor  
Elastomeric Sealant**



Premium Elastomeric Sealant with Silicone Tough: latex formulation delivers outstanding performance against the elements. Provides superior flexibility and elongation to endure expansion & contraction without cracking or losing its seal. It has excellent adhesion to a wide range of building materials including wood, MDF, fiber cement, vinyl, aluminum, PVC polystyrene and composite trimboard.

- 100% waterproof & weatherproof
- Excellent flexibility & adhesion
- Crackproof
- Seals joints up to 2" wide
- Easy gunning & smooth tooling
- Easy water clean up & low odor
- Cured sealant is mold and mildew resistant
- Exterior/interior
- Lifetime Guarantee
- Meets ASTM C920, Class 25
- Paint Ready in 2 hours



**Use for sealing around:** Windows, Doors, Siding, Trim, Pipes, Vents, Gutters & Flashing

Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18886	5.5 fl oz	WHITE	18285	8.57	15	7.75"x7.37"x10"	0.33	1	120
18860	5.5 fl oz	CLEAR	18357	6.3	15	7.75"x7.37"x10"	0.33	5	120
18275	10.1 fl oz	WHITE	18300	13.10	12	8"x6"x12"	0.33	1	108
18304	10.1 fl oz	CLEAR	18305	10.00	12	8"x6"x12"	0.33	6	108
18288	10.1 fl oz	ALMOND	18306	12.85	12	8"x6"x12"	0.33	3	108
18286	10.1 fl oz	GRAY	18301	12.85	12	8"x6"x12"	0.33	8	108
18416	10.1 fl oz	CLAY	18416	13.00	12	8"x6"x12"	0.33	9	108
18418	10.1 fl oz	BROWN	18302	12.90	12	8"x6"x12"	0.33	5	108
18412	10.1 fl oz	CEDAR TAN	18412	12.90	12	8"x6"x12"	0.33	1	108
18420	10.1 fl oz	DARK BRONZE	18303	12.90	12	8"x6"x12"	0.33	2	108
18280	10.1 fl oz	BLACK	18280	12.80	12	8"x6"x12"	0.33	6	108

**DAP® DYNAFLEX 230®  
Premium 100% Waterproof  
Indoor/Outdoor  
Elastomeric Sealant  
Contractor Pack**



Buy by the case and save! Designed for purchase by the case by Professional Contractors. Each pack contains 6 cartridges of DYNAFLEX 230® Premium Indoor/Outdoor Elastomeric Sealant.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18273	10.1 fl oz	WHITE	18300	6.55	6	6.55"x6.1"x4.2"	0.17	1	183



**DAP® EXTREME STRETCH**  
**High Performance**  
**Acrylic Urethane**  
**Elastometric Sealant**



Provides urethane acrylic technology for extreme flexibility and strength with long-lasting durability. It has over 600% total stretch without cracking or losing adhesion. With its strong, multi-material adhesion, it is ideal for a wide variety of interior and exterior applications.

- Seals joints up to 3" wide
- 600% total stretch
- Crackproof
- Strong multi-material adhesion
- 2 hour paint ready\*
- Easy & smooth application
- Easy water clean up & low odor
- Cured sealant is mold and mildew resistant
- Exterior/interior
- Lifetime Guarantee
- Exceeds ASTM C920, Class 25



**Use for sealing around:** Windows, doors, siding, trim, baseboards, crown moulding, pipes & vents

\* Clear in 7-14 days

Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18715	10.1 fl oz	WHITE	18715	11.90	12	8"x6"x12"	0.333	3	108
18716	10.1 fl oz	CLEAR	18716	11.90	12	8"x6"x12"	0.333	0	108
18710	10.1 fl oz	GRAY	18710	11.90	12	8"x6"x12"	0.333	8	108
18717	10.1 fl oz	ALMOND	18717	11.90	12	8"x6"x12"	0.333	7	108
18714	10.1 fl oz	LIMESTONE	18714	11.90	12	8"x6"x12"	0.333	6	108
18711	10.1 fl oz	SLATE GRAY	18711	11.90	12	8"x6"x12"	0.333	5	108
18712	10.1 fl oz	IRON STONE	18712	11.90	12	8"x6"x12"	0.333	2	108
18718	10.1 fl oz	TAN	18718	11.92	12	8"x6"x12"	0.333	4	108
18706	10.1 fl oz	WOODTONE	18706	11.90	12	8"x6"x12"	0.333	1	108
18708	10.1 fl oz	DARK BROWN	18708	11.90	12	8"x6"x12"	0.333	5	108
18713	10.1 fl oz	BLACK	18713	11.90	12	8"x6"x12"	0.333	9	108
18707	10.1 fl oz	REDWOOD	18707	11.90	12	8"x6"x12"	0.333	8	108
18709	10.1 fl oz	PINE GREEN	18709	11.90	12	8"x6"x12"	0.333	2	108



**DAP® 3.0™**  
**Window, Door, Trim & Siding**  
**High Performance Sealant**



Advanced hybrid technology delivers outstanding performance in sealing out air, water and moisture in a wide variety of interior and exterior applications. It can be applied in extreme temperatures and adheres to wet or damp surfaces.

- Extreme temperature application: 20°F to 120°F
- 100% waterproof & weatherproof
- Wet/damp surface application
- Maximum flexibility & adhesion
- Shrink & crackproof
- 30 minute rain & paint ready
- Low odor
- Cured sealant is mold and mildew resistant
- Interior/exterior
- Lifetime Guarantee
- Meets ASTM C920, Class 35

**Use for sealing around:** Windows, Doors, Siding, Exterior Trim, Baseboards, Molding, Interior Trim, Gutters, Flashing, Pipes, Vents & Ducts



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18360	9.0 fl oz	WHITE	18360	12.15	12	8"x6"x12"	0.33	5	108

**DAP® 3.0™**  
**Crystal Clear**  
**Window, Door, Trim & Siding High**  
**Performance Sealant**



Advanced hybrid technology delivers outstanding performance in sealing out air, water and moisture in a wide variety of interior and exterior applications. It can be applied in extreme temperatures and adheres to wet or damp surfaces. The crystal clear color blends in with most building material substrates for a better finished appearance.

- Extreme temperature application: 20°F to 120°F
- 100% Waterproof & weatherproof
- Wet/damp surface application
- Maximum flexibility & adhesion
- Shrink & crackproof
- 30 minute rain & paint ready
- Low odor
- Cured sealant is mold and mildew resistant
- Interior/exterior
- Lifetime Guarantee
- Meets ASTM C920, Class 25

**Use for sealing around:** Windows, Doors, Siding, Exterior Trim, Baseboards, Molding, Interior Trim, Gutters, Flashing, Pipes, Vents & Ducts



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18362	9.0 fl oz	CRYSTAL CLEAR	18362	9.90	12	8"x6"x12"	0.33	9	108



**DAP® SILICONE MAX™**  
**Premium All Purpose**  
**100% Silicone Sealant**



Provides maximum silicone performance to seal out air and water in window, door & siding applications. It has +/-50% joint movement for maximum flexibility and adhesion. It withstands contraction and expansion caused by extreme temperature and weather fluctuations without cracking or losing adhesion.

- 100% waterproof & weatherproof
- Wet/damp surface adhesion
- +/- 50% joint movement for maximum flexibility & adhesion
- Shrink & crackproof
- 30 minute rain ready
- Low odor
- Cured sealant is mold and mildew resistant
- Interior/exterior
- Lifetime Guarantee
- Meets ASTM C920, Class 50



**Use for sealing around:** Windows, Doors, Siding, Exterior Trim, Baseboards, Molding, Interior Trim, Gutters, Flashing, Pipes, Vents & Ducts

Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
08795	2.8 fl oz	WHITE	08795	2.75	12	7.56" x 5.68" x 8"	0.20	5	200
08792	2.8 fl oz	CLEAR	08792	2.75	12	7.56" x 5.68" x 8"	0.20	7	200
08790	10.1 fl oz	WHITE	08790	9.94	12	8"x6"x12"	0.33	3	108
08791	10.1 fl oz	CLEAR	08791	9.74	12	8"x6"x12"	0.33	0	108
08784	10.1 fl oz	ALMOND	08784	9.94	12	8"x6"x12"	0.33	2	108
08787	10.1 fl oz	LIGHT GRAY	08787	9.94	12	8"x6"x12"	0.33	3	108
08788	10.1 fl oz	BROWN	08788	9.94	12	8"x6"x12"	0.33	0	108
08789	10.1 fl oz	BLACK	08789	9.94	12	8"x6"x12"	0.33	7	108

**DAP® SILICONE PLUS™**  
**Premium Window, Door & Siding 100% Silicone Rubber Sealant**



Premium quality, 100% silicone rubber sealant that provides outstanding durability and flexibility for a long-lasting, 100% waterproof and weatherproof seal.

- 100% waterproof & weatherproof
- Wet/damp surface adhesion
- Superior flexibility & adhesion
- Shrink & crackproof
- 30 minute rain ready
- Low odor
- Cured sealant is mold and mildew resistant
- Interior/exterior
- Lifetime Guarantee
- Meets ASTM C920, Class 25



**Use for sealing around:** Windows, Doors, Siding, Exterior Trim, Baseboards, Molding, Interior Trim, Gutters, Flashing, Pipes, Vents & Ducts

Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
08780	10.8 fl oz	WHITE	08780	11.96	12	8"x6"x12"	0.33	4	108
08771	10.8 fl oz	CLEAR	08771	9.74	12	8"x6"x12"	0.33	2	108



**DAP® Window, Door & Siding 100% Silicone Rubber Sealant**

All purpose 100% silicone rubber sealant that provides a long-lasting waterproof and weatherproof seal.

- 100% waterproof & weatherproof
- Flexible
- Crack resistant
- Minimal shrinkage
- 12 hour rain ready
- Cured sealant is mold and mildew resistant
- Interior/exterior
- Meets ASTM C920, Class 25

**Use for sealing around:** Windows, Doors, Siding, Exterior Trim, Baseboards, Molding, Interior Trim, Gutters, Flashing, Pipes, Vents & Ducts



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00752	2.8 fl oz	WHITE	00683	1.55	6	8.44"x4.75"x4.12"	0.10	6	495
00753	2.8 fl oz	CLEAR	00684	1.55	6	8.44"x4.75"x4.12"	0.10	3	495
08646	9.8 fl oz	WHITE	08646	9.15	12	8"x6"x12"	0.33	3	108
08641	9.8 fl oz	CLEAR	08641	9.15	12	8"x6"x12"	0.33	8	108
08649	9.8 fl oz	ALMOND	08649	9.17	12	8"x6"x12"	0.33	4	108
08643	9.8 fl oz	ALUMINUM	08643	9.15	12	8"x6"x12"	0.33	2	108
08647	9.8 fl oz	BRONZE	08647	9.15	12	8"x6"x12"	0.33	0	108
08642	9.8 fl oz	BLACK	08642	9.15	12	8"x6"x12"	0.33	5	108

**DAP® DYNAFLEX® 920 Premium Exterior Elastomeric Sealant**

High performance, solvent-based, elastomeric sealant developed for professional siding and window installations. Provides long-lasting, elastomeric seal which helps prevent water and air intrusion. The extensive offering of colors provides an aesthetically appealing finished look to any installation. It can be applied to wet/damp surfaces and in extreme weather conditions. It will not wash away when exposed to rain prior to full cure.

- Applies at temperatures as low as 20°F
- 100% waterproof & weatherproof
- Wet/damp surface application
- Extremely flexible - crackproof
- Self-tooling
- Paintable after cure
- Excellent UV stability
- Cured sealant is mold and mildew resistant
- Exterior
- MasterSpec Section 07900 Weatherproof Sealants
- Meets ASTM C920, Class 25

**Used for sealing around:** Windows, Doors, Siding, Exterior Trim, Gutters, Flashing, Pipes, Vents & Ducts



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
89200	10 fl oz	WHITE (WT098)	89200	11.34	12	8"x 6"x12.5"	0.347	2	108



**DAP® DYNAFLEX® 800**  
**Advanced All Weather Sealant**

Premium exterior elastomeric sealant developed for professional siding, window and door installations. It won't shrink or crack to provide a long-lasting, flexible seal that prevents water and air intrusion. It can be applied to wet surfaces and in extreme temperatures.

- Extreme temperature application: 0°F to 120°F
- 100% Waterproof & weatherproof
- Wet/damp surface application
- Outstanding flexibility & adhesion
- Shrink & crackproof
- 1 hour rain & paint ready
- Excellent UV stability
- Fast curing
- Low odor
- Cured sealant is mold and mildew resistant
- Interior/exterior
- Meets ASTM C920, Class 25

**Use for sealing around:** Windows, Doors, Siding, Exterior Trim, Baseboards, Molding, Interior Trim, Gutters, Flashing, Pipes, Vents & Ducts



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
80800	10.1 fl oz	WHITE	80800	13	12	8.13"x 6.25"x13"	0.38	3	108

**DAP® SIDE WINDER®**  
**Advanced Siding & Window Sealant**



Advanced polymer formula stays flexible to withstand joint expansion and contraction caused by weather and temperature fluctuations. It is ideal for use as a bedding sealant for window installation. It can be applied to wet surfaces and in extreme temperatures.

- Extreme temperature application: 20°F to 120°F
- 100% waterproof & weatherproof
- Wet/damp surface application
- Superior flexibility & adhesion
- Shrink & crackproof
- 1 hour rain & paint ready
- Excellent UV stability
- Low odor
- Cured sealant is mold and mildew resistant
- Interior/exterior
- Lifetime Guarantee
- Meets ASTM C920, Class 35

**Used for sealing around:** Windows, Doors, Siding, Exterior Trim, Baseboards, Molding, Interior Trim, Gutters, Flashing, Pipes, Vents & Ducts



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00801	10.1 fl oz	WHITE	00801	13.00	12	8"x 6"x12"	0.33	4	108
00813	10.1 fl oz	ALMOND	00813	13.75	12	8"x 6"x12"	0.33	7	108
00810	10.1 fl oz	TAN	00810	13.75	12	8"x 6"x12"	0.33	6	108
00804	10.1 fl oz	CLAY	00804	13.75	12	8"x 6"x12"	0.33	5	108
00823	10.1 fl oz	CEDAR	00823	13.75	12	8"x 6"x12"	0.33	6	108
00807	10.1 fl oz	LIGHT GRAY	00807	13.75	12	8"x 6"x12"	0.33	6	108
00835	10.1 fl oz	MEDIUM GRAY	00835	13.75	12	8"x 6"x12"	0.33	9	108



**DAP® SIDE WINDER®**  
**Crystal Clear**  
**Advanced Siding**  
**& Window Sealant**



Advanced polymer formula stays flexible to withstand joint expansion and contraction caused by weather and temperature fluctuations. It is ideal for use as a bedding sealant for window installation. It can be applied to wet surfaces and in extreme temperatures. The crystal clear color blends with most building material substrates for a better finished appearance.

- Extreme temperature application: 20°F to 120°F
- 100% waterproof & weatherproof
- Wet/damp surface application
- Superior flexibility & adhesion
- Shrink & crackproof
- 1 hour rain & paint ready
- Excellent UV stability
- Low odor
- Cured sealant is mold and mildew resistant
- Interior/exterior
- Lifetime Guarantee
- Meets ASTM C920, Class 35



**Used for sealing around:** Windows, Doors, Siding, Exterior Trim, Baseboards, Molding, Interior Trim, Gutters, Flashing, Pipes, Vents & Ducts

Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00816	10.1 fl oz	CRYSTAL CLEAR	00816	9.8	12	8"x 6"x 12"	0.33	8	108



### DAP® ULTRA CLEAR Flexible All Purpose Waterproof Sealant



High performance all purpose, ultra elastic, ultra clear sealant for sealing a wide variety of surfaces & projects. It is crystal clear, allowing surface beauty to shine through and providing a seamless finish.

- Clearer than silicone
- Stays crystal clear/non-yellowing
- 100% waterproof & weatherproof
- Won't crack, crumble, chalk, bubble or break down
- Flexible
- Wet/damp surface application
- Immediate water ready
- Paintable
- Interior/exterior



**Use for sealing around:** Gutters, Roofs, Flashing, Siding, Windows & Doors

Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18388	5.0 fl oz	CRYSTAL CLEAR	18387	2.20	6	7.75" x 7.378" x 10"	0.09	2	468
18387	5.0 fl oz	CRYSTAL CLEAR	18387	7.00	15	7.75" x 7.378" x 10"	0.23	2	120
18388	10.1 fl oz	CRYSEAL CLEAR	18388	9.25	12	8"X 6"X 12"	0.33	9	105

### DAP® ULTRA CLEAR ROOF Waterproof Rubberized Sealant



DAP® ULTRA CLEAR ROOF is a crystal clear, elastomeric rubberized sealant that stops and prevents minor roof leaks. It creates an invisible, ultra waterproof seal around roof fixtures and penetrations to keep out water, air and moisture, preventing damage.

- Clearer than silicone
- Stays crystal clear/non-yellowing
- Extreme temperature application: 0°F to 120°F
- 100% Waterproof & weatherproof
- Immediate rain ready - won't wash out
- Adheres to wet & damp surfaces; even through standing water
- Permanently flexible & crackproof even in cold temperatures
- Cured sealant is mold/mildew resistant
- Exterior



**Use for sealing around:** Roofs, Shingles, Flashing, Chimneys & Gutters  
**Strong multi-surface adhesion:** Asphalt, Metal, Brick, Ceramic, Tile, Stone, Stucco & Most Plastics

Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18395	10.1 fl oz	CRYSTAL CLEAR	18395	9.87	12	8"x6"x12"	0.33	7	105
18396	Quart	CRYSTAL CLEAR	18396	14.39	6	11.5"x7.87"x6.56"	0.34	4	120
18397	Gallon	CRYSTAL CLEAR	18397	18.58	2	14"x7.25"x8.5"	0.49	1	75



### DAP® 3.0™ Gutter & Flashing High Performance Sealant



DAP® 3.0™ Gutter & Flashing High Performance Sealant won't crack or shrink and provides excellent adhesion, flexibility and durability for a 100% waterproof seal. The crystal clear color blends in with most building material substrates for a better finished appearance.

- Extreme temperature application: 20°F to 120°F
- 100% waterproof & weatherproof
- Water and paint ready in 30 minutes
- Wet/damp surface application
- Low in odor and VOC compliant
- Meets ASTM C920, Class 25
- Lifetime Guarantee
- Interior/exterior

**Use for sealing around:** Gutters, Drain Spouts, Lap Joints, Flashing, Roof Vents, Aluminum Siding & Other Metal Joints



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18377	9.0 fl oz	CRYSTAL CLEAR	18377	12.15	12	8"x6"x12"	0.33	3	108

### DAP® Gutter & Flashing Advanced VOC-Compliant Exterior Sealant



Advanced polymer formula gutter and flashing sealant delivers superior wet weather and low temperature application with virtually no VOCs (<1%).

- Low in odor and VOC compliant
- 100% waterproof & weatherproof
- Shrinkproof
- 30 minute water ready
- Wet/damp surface application
- Flexible
- Paintable
- Meets ASTM C920, Class 25
- Exterior

**Use for sealing around:** Gutters, Drain Spouts, Lap Joints, Flashing, Roof Vents, Aluminum Siding & Other Metal Joints



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
01801	10.1 fl oz	WHITE	01801	13.00	12	8"x6"x12"	0.33	3	108
01835	10.1 fl oz	MEDIUM GRAY	01835	13.75	12	8"x6"x12"	0.33	8	108

### DAP® Gutter & Flashing BUTYL-FLEX® Sealant

Butyl rubber formula provides a durable, flexible and waterproof seal. It stays flexible to resist cracking and crumbling due to temperature extremes and weathering.

- 100% waterproof & weatherproof
- Crackproof
- Wet/damp surface application
- Flexible
- Paintable
- Meets ASTM C1311
- Exterior

**Use for sealing around:** Gutters, Drain Spouts, Lap Joints, Flashing, Roof Vents, Pipes, Ducts, Skylights, Corrugated Roofing, Aluminum & Vinyl Siding, Metal Joints & Chimneys



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18182	10.1 fl oz	WHITE	18184	13.75	12	8"x6"x12"	0.33	7	108
18188	10.1 fl oz	ALUMINUM GRAY	18185	13.75	12	8"x6"x12"	0.33	4	108



### DAP® DYNAFLEX® Gutter & Narrow Seam



Formulated specifically with the Pro in mind, this easy to use, high performance sealant forms a tough, watertight seal to stop and prevent leaks in small joints and narrow seams in gutter and flashing applications. Extremely durable and permanently flexible, it stands up to weather and temperature extremes without cracking.

- Sticks to wet, damp or dry surfaces
- Can be applied through standing water
- Extreme temperature application: 20°F to 120°F
- 30 minute rain ready without washing out
- 100% waterproof & weatherproof seal
- Stops leaks immediately
- Flex and crack proof
- UV Resistant – won't harden, yellow or break
- Multi-surface adhesion
- Cured sealant is mold and mildew resistant
- Low odor



Product Code	Size	Color	Case Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18399	4.5 fl oz	WHITE	7079818399	3.03	6	3.03"x6.38"x5"	0.18	5	232
18398	10.1 fl oz	WHITE	7079818398	13.97	12	8.13"x6.25"x13"	0.382	8	108

### DAP® 3.0™ Self-Leveling Concrete & Masonry High Performance Sealant



DAP® 3.0™ Concrete & Masonry is an advanced self-leveling sealant that requires no tooling, making it ideal for filling cracks and gaps in horizontal surfaces.

- Extreme temperature application: 20°F to 120°F
- Shrink & crackproof
- 100% waterproof & weatherproof
- Water and paint ready in 1 hour
- Withstands foot and vehicle traffic after fully cured
- Low in odor and VOC compliant
- Meets ASTM C920, Class 25
- Lifetime Guarantee
- Interior/exterior

**Use for sealing around:** Concrete Driveways, Steps, Patios, Sidewalks, Garages, Above Ground Foundations & Other Concrete Surfaces



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18370	9.0 fl oz	GRAY	18370	13.12	12	8"x6"x12"	0.33	4	108



### DAP® Textured Concrete Premium Elastomeric Latex Filler & Sealant

**SEAMLESS BLEND**



Textured Concrete Premium Elastomeric Filler & Sealant is formulated with a textured finish to seamlessly blend with concrete surfaces while offering outstanding flexibility and strong adhesion for a durable and long-lasting repair.

- 100% waterproof & weatherproof
- Excellent adhesion & flexibility for a durable seal
- Easy water clean-up & low odor
- 2 hour paint ready & won't stain or bleed
- Safe for vehicle & foot traffic
- Lifetime Guarantee
- Exterior/interior

**Use for filling & sealing cracks & gaps in:** Concrete Surfaces, Patios, Steps, Concrete Driveways, Sidewalks, Garage Floors, Above Ground Foundations & Pavements



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
08676	10.1 fl oz	TEXTURED GRAY	08676	12.79	12	8"x 6"x 12"	0.33	0	108

### DAP® Concrete & Masonry Filler & Sealant



Ready-to-use, waterproof sealant formulated to repair cracks and holes in concrete, mortar and masonry surfaces. It contains silicone additives for improved adhesion, flexibility and water resistance.

- 100% waterproof & weatherproof
- Smooth finish
- Paintable
- Easy water clean-up & low odor
- VOC Compliant
- Interior/exterior

**Use for filling & sealing cracks & gaps in:** Concrete Surfaces, Patios, Steps, Concrete Driveways, Sidewalks, Garage Floors, Above Ground Foundations & Pavements



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18096	10.1 fl oz	GRAY	18021	14.87	12	8"x6"x12"	0.33	5	108



### DAP® Premium Polyurethane Construction Adhesive Sealant



One-part, moisture-curing, non-sag elastomeric commercial grade sealant specifically formulated to provide a long-lasting, durable seal when filling exterior gaps, joints and cracks.

- Superior adhesion and durability
- 100% Waterproof & weatherproof
- Durable and tear resistant
- Handles foot & vehicle traffic
- Flexible
- Paintable
- Meets ASTM C920, Class 35
- NSF Certified
- Interior/exterior

**Use for sealing around:** Windows, Doors, Siding, Chimneys, Butt Joints, Corner Joints, Trim, Fascia, Expansion Joints, Flashing, Ducts & Pipes



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18810	10.1 fl oz	WHITE	18810	14.10	12	8"x6"x13"	0.36	5	132
18814	10.1 fl oz	GRAY	18814	14.50	12	8"x6"x13"	0.36	3	132
18816	10.1 fl oz	BLACK	18816	14.10	12	8"x6"x13"	0.36	7	132

### DAP® Roof Asphalt Filler & Sealer



High performance, asphalt-based sealant offers excellent adhesion and durability to resist the damaging effects of UV light, temperature extremes and weathering. It can be used in both dry and wet applications, making it ideal for emergency roof repairs.

- Superior adhesion and durability
- 100% waterproof & weatherproof
- Will not run, sag or bubble
- Wet/damp surface application
- Flexible
- Meets ASTM D4586, Type 1, Class 1
- Exterior

**Use for sealing around:** Roof Gaps & Joints, Spotting Shingles & Minor Roof Leaks



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18268	10.1 fl oz	BLACK	18270	14.51	12	8"x6"x12"	0.33	7	105

### DAP® Blacktop Asphalt Filler & Sealer



Ready-to-use, professional-grade asphalt-based compound that fills and seals cracks in asphalt surfaces without heating or mixing. It flows easily into cracks to form a long-lasting barrier which keeps out water to prevent ice damage and surface deterioration. It dries to a matte black finish that may be coated with asphalt or tar-based driveway dressings.

- Superior adhesion and durability
- Repairs are ready for traffic in 24 hours
- Resists oil, grease, and salt
- Flows easily
- 100% Waterproof & weatherproof
- Won't crack, crumble, chalk, bubble or break down
- Exterior

**Use for sealing around:** Driveways, Parking Lots, Other Asphalt Surfaces, Tennis Courts, Basketball Courts & Playgrounds



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18020	10.1 fl oz	BLACK	18017	14.51	12	8"x6"x12"	0.33	8	105



### DAP® Blacktop Asphalt VOC-Compliant Filler & Sealer



Asphalt-based, low solvent compound that fills and seals cracks in asphalt surfaces without heating or mixing. It flows easily into cracks to form a long-lasting barrier which keeps out water to prevent ice damage and surface deterioration. It dries to a matte black finish that may be coated with asphalt or tar-based driveway dressings.

- Superior adhesion and durability
- Repairs are ready for traffic in 24 hours
- Resists oil, grease, and salt
- Flows easily
- 100% waterproof & weatherproof
- Won't crack, crumble, chalk, bubble or break down
- Textured for a professional-looking finish
- Exterior

**Use for sealing around:** Driveways, Parking Lots, Other Asphalt Surfaces, Tennis Courts, Basketball Courts & Playgrounds



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
27065	10.1 fl oz	TEXTURED BLACK	27065	15.00	12	8"x6"x12"	0.33	7	108

### DAP® SEAL 'N PEEL® The Original Solvent Formula All Season Removable Weather Stripping Sealant



Removable Weatherstrip Sealant is formulated for use as a seasonal weatherstripping product. It provides a watertight, weatherproof and fast drying seal against air and moisture, keeping homes warmer in winter, cooler in summer, while also reducing energy bills. Use it to seal drafty windows, seasonally used doors, around air conditioners, vents or fans. Then easily peel it away when no longer needed.

- Seals out drafts to save energy
- Peels away easily when no longer needed
- Interior/exterior

**Use for sealing around:** Window & Door Frames, Vents, Fans, Patio Doors, Air Conditioners & Louvers



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18351	10.1 fl oz	CRYSTAL CLEAR	18324	9.27	12	8"x6"x12"	0.33	7	108



### DAP® BLOCKADE® Fire-Rated High Performance Intumescent Acrylic Latex Sealant



BLOCKADE® is a single component, water-based intumescent, acrylic firestop sealant that meets ASTM E814/UL 1479 and is 4 hour system tested. It treats general firestopping applications for combustible and non-combustible penetrations.

- 4 hour system tested
- Intumescent expansion fills voids created by combustible materials burned during a fire
- Excellent adhesion to unprimed surfaces
- Red color easily recognized as a firestop sealant
- Easy water clean-up & low odor
- Interior

**Use for sealing around:** Steel, copper, EMT pipe, plastic pipe (vented and closed), fiberglass, AB/PVC Pipe, Romex, cables, jacketed cables, bundles & ductwork



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18858	10.1 fl oz	RED	18858	12.25	12	8"x6"x12"	0.33	7	132

### DAP® Fire Stop Fire-Rated Silicone Sealant



Meets ASTM E814/UL 1479 and UL 2079 Specifications. Classified for sealing fire-rated non-combustible service penetrations and construction joints in horizontal and vertical fire separations. Elastomeric silicone formulation capable of ±25% dynamic joint movement.

- 4 hour system tested
- Low odor
- Interior

**Use for sealing around:** Through Penetrations & Joints



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18806	10.1 fl oz	LIMESTONE GRAY	18806	12.75	12	8"x6"x12"	0.33	8	132

### DAP® High Heat Fire-Resistant Mortar



HIGH HEAT FIRE RESISTANT MORTAR is a non-combustible silicate cement for applications in wood frame construction where an ASTM E136 non-combustible sealant is required.

- Meets ASTM E136
- Withstands temperatures up to 2000°F
- Sets rock hard once fired
- Paintable once heat cured
- Easy Water Clean-up & Low Odor
- VOC Compliant
- Interior

**Use for sealing around:** Tuck point between firebricks, cracked fire bricks, vents, pipes, ducts, chimneys & fireplaces



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18854	10 fl oz	BLACK	18854	15.60	12	8"x6"x12"	0.33	9	102



DAP® HVAC SILICONE 100% RTV Silicone Sealant



High-performance sealant designed especially for HVAC applications. It provides a long-lasting, weather-resistant seal with supreme adhesion, flexibility, and durability.

- Remains flexible up to 475°F
• Shrink & crackproof
• 100% weatherproof
• Meets Fed. Spec. TT-S001543A
• Meets ASTM C920, Class 25
• NSF certified
• Interior/exterior

Use for sealing around: Air Conditioners, Ducts, Furnaces, Refrigerators, Aluminum Siding, Flanged Pipe Joints, Vents, Pipes, Flues, Access Doors, Window & Door Frames



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lb), Case Pack, Case Dimensions LxWxH, Case Volume (cu ft), UPC Check Digit, Cases per Pallet. Rows include 08010 (White), 08011 (Clear), and 08012 (Aluminum).

DAP® HIGH TEMP SILICONE 100% RTV Silicone Sealant



High-performance sealant designed especially for extreme high temperature applications. It provides a long-lasting, weather-resistant seal with supreme adhesion, flexibility, and durability.

- Remains flexible up to 550°F
• Shrink & crackproof
• 100% waterproof & weatherproof
• Meets Fed. Spec. TT-S001543A
• Meets ASTM C920, Class 25
• NSF certified
• Interior/exterior

Use for sealing around: Industrial Ovens, Oven Belts, Heating Elements, Oven Windows, Drying Ovens, Boilers, Flanged Pipe Joints, Flues, Access Doors & Fired Heaters



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lb), Case Pack, Case Dimensions LxWxH, Case Volume (cu ft), U Check Digit, Cases per Pallet. Row includes 08013 (Red).

DAP® SOUND BLOCK™ E90 Acoustical, Draft, Smoke & Sound Sealant

Professional-grade, acoustical latex sealant specifically designed to reduce sound transmission & improve STC ratings in all types of wall & floor systems where a sound rated assembly is required.

- Meets or Exceeds the following ASTM Specifications: ASTM E90, ASTM C834, ASTM E84 Class A / UL723, ASTM D412, ASTM C919, & ASTM D217
• For Use on Sound-Rated Wall & Floor Systems
• Reduces Sound Transmission, Smoke Migration & Drafts
• Stays Flexible / Non-Sagging
• Crackproof
• Strong Adhesion to Wide Variety of Building Materials
• Easy water clean-up
• Interior/Exterior Use



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lb), Case Pack, Case Dimensions LxWxH, Case Volume (cu ft), UPC Check Digit, Cases per Pallet. Row includes 18165 (White).



**DAP® All Purpose  
100% Silicone  
Adhesive Sealant**

Long-lasting, 100% silicone rubber is ideal for quick household repairs and projects.

- Shrink & crackproof
- 100% waterproof seal
- Dishwasher and microwave safe
- Aquarium safe
- Flexible
- Meets ASTM C920, Class 25
- NSF certified
- Interior/exterior

**Use for sealing around:** Porcelain, China, Crystal, Ceramics, Jewelry, Dishwasher Seals, Campers, Tents, Aquariums & Crafts



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00755	2.8 fl oz	CLEAR	00688	1.55	6	8.44"x4.75"x4.12"	0.10	1	495

**DAP® Auto/Marine  
100% RTV Silicone  
Sealant**

Long-lasting, 100% RTV silicone rubber seals and bonds for automotive and marine maintenance and repair applications.

- Resists vibration, expansion and contraction
- Shrink & crackproof
- 100% waterproof & weatherproof
- Endures sunlight and withstands saltwater
- Flexible
- Meets ASTM C920, Class 25
- Interior/exterior

**Use for sealing around:** Weatherproofing Windshields (Not for Windshield Cracks), Headlights & Hatches; Attaching Trim, Cleats, Accessories, Fittings, Fixtures; Repairing Canvas & Sailcloth



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00756	2.8 fl oz	CLEAR	00694	1.55	6	8.44"x4.75"x4.12"	0.10	2	495

**DAP® Gasket Maker  
100% RTV Silicone  
Sealant**

One-component, 100% RTV silicone rubber that is ideal for mechanical repairs and household use. It can be used for making gaskets on engine parts, cars, motorcycles, appliances, power yard equipment and more.

- Forms a durable, flexible seal
- 100% waterproof seal
- Resists oil, grease, and fuels
- Unaffected by vibration
- Requires no mixing
- Won't crack, crumble, or dry out
- Withstands extreme temperatures and pressure
- Flexible
- Interior/exterior

**Use for sealing around:** Forming Gaskets on Engine Parts, Cars, Motorcycles, Appliances and Power Yard Equipment; Weatherproofing Windshields (Not for Windshield Cracks) & Weatherstripping



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00754	2.8 fl oz	BLACK	00686	1.55	6	8.44"x4.75"x4.12"	0.10	7	495



**DAP® CAULK-BE-GONE®**  
**Latex Caulk Remover**

Specially formulated gel softens most types of latex caulks and sealants for quick and easy removal. The fast-acting gel formula stays where applied and works in as little as two hours.

- Softens caulk for easy removal
- Fast-acting, gel formula
- Has a fresh scent
- Will not harm most surfaces
- Easy water clean-up
- Interior/exterior



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18026	5.5 fl oz	GREEN	18025	5.21	12	9.5"x7.25"x4.25"	0.17	3	240

**DAP® PRO Caulk™**  
**8-piece**  
**Caulking Tool Kit**

The easy, no-mess way to a perfect, professional seal in seconds. Creates a perfect looking seal every time – any edge, any corner, any joint – while reducing the amount of wasted caulk, sealant or compound.

The Tool Kit includes:

- (3) Sealing Tools
- Caulk Removal Tool
- (3) Rubberized Caulk Saver Caps
- Extended Reach Nozzle
- For use on just about every caulking and sealing project interior/exterior



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
09125	1 ea	BLUE	09125	1.20	4	5.5"x4.75"x11"	0.17	2	224

**DAP CAP™**  
**Caulk Finishing Tool**

Two tools in one. Smooths and finishes bead of caulk or sealant easily for a professional-looking appearance. Works with all types of caulks and sealants. Reseals cartridge for storage and reuse.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18570	1 ea	YELLOW	18570	0.82	12	10.5"x6"x10.5"	0.38	8	99



DAP® PLATINUM PATCH™ Advanced Exterior Filler (Ready To Use)



Special hydrophobic formula for exceptional weatherproof protection.

- Prevents discoloration, cracking and crumbling
- Waterproof
- Mold, mildew and algae resistant
- Does not soften, swell, blister or break down
- Multi-material adhesion
- Sandable and paintable
- Easy water clean-up
- Low odor

**Use:** Interior and exterior. Ideal for exterior applications including fiber cement siding, PVC trim board, vinyl siding, metal, composite concrete, brick, and wood.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18786	7 fl oz	WHITE	18786	4.47	6	6.63"x6.25"x9.38"	0.23	3	168
18741	16 fl oz	WHITE	18741	20.36	12	12"x8.25"x8.25"	0.47	5	85
18787	32 fl oz	WHITE	18787	26.28	8	10.38"x10.38"x10.25"	0.64	0	64

DAP® ALEX FLEX® Flexible Spackling (Ready To Use)



Flexible formula provides a solution to eliminate recurring cracks in drywall.

- Spreads easily
- Can be sanded to a smooth finish
- Will not shrink or crack
- Will not flash paint

**Use:** Interior and exterior.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18742	16 fl oz	WHITE	18742	21.97	12	12"x8.25"x8.25"	0.47	9	85
18743	32 fl oz	WHITE	18743	28.15	8	10.38"x10.38"x10.25"	0.64	6	64



DAP® FAST DRY Premium Spackling



Professional grade formula that dries in as little as 15 minutes.

- Improved productivity - 8X faster finish
- Extra strong and durable
- Superior impact resistance
- Sandable and paintable
- Spreads easily
- Will not sink, shrink or crack
- Ideal for large repairs up to 3" in diameter

Use: Interior and exterior.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18440	16 fl oz	OFF WHITE	18440	9.61	12	12"x8.25"x8.25"	0.47	4	85
18441	32 fl oz	OFF WHITE	18441	11.94	8	10.38"x10.38"x10.25"	0.64	1	64

DAP® ALEX PLUS® Spackling (Ready To Use)



Professional strength formula for filling holes & cracks in a variety of surfaces including drywall, plaster, wood, brick, metal and stone.

- Spreads easily
- Can be sanded and painted
- Will not crack, crumble or flake
- Will not sink or shrink
- Superior durability

Use: Interior & exterior, multi-surface.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18744	7 fl oz	WHITE	18744	5.68	6	6.63"x6.25"x9.38"	0.23	3	168
18745	16 fl oz	WHITE	18745	25.19	12	12"x8.25"x8.25"	0.47	0	85
18746	16 fl oz	WHITE	18746	28.91	8	10.38"x10.38"x10.25"	0.64	7	64
18747	128 fl oz	WHITE	18747	32.86	2	16"x8"x8.25"	0.61	4	75



**DAP® DRYDEX® Dry Time Indicator Spackling (Ready To Use)**



Contains patented DRYDEX® Dry Time Indicator causing the product to change color when optimum dry time is achieved.

- Signals when ready to sand and paint (goes on pink and dries white)
- Spreads easily
- Sandable
- Won't flash paint
- Strong and durable

**Use:** Interior and exterior.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
12337	5.5 fl oz	WHITE	12337	8.75	12	10.5"x4.5"x10.5"	0.29	5	99
12328	8 fl oz	WHITE	12328	12.90	12	13.50"x10"x3.75"	0.29	1	154
12330	32 fl oz	WHITE	12330	24.93	6	15"x10"x5.25"	0.46	4	96
12347	128 fl oz	WHITE	12347	28.8	2	16"x8"x8.25"	0.61	2	75

**DAP® Wall Repair Patch Kit Featuring DRYDEX® Spackling**



A complete project solution. Repairs holes up to 4" in diameter in drywall, plaster and masonry surfaces.

Includes all the necessary tools:

- DRYDEX® Spackling - Goes on pink, dries white
- 5" x 5" Fiber Tough Patch
- 4" x 3" 100-grit sand paper
- Putty knife

**Use:** Interior and exterior.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
12345	1 ea - 8 fl oz	WHITE	12345	6.75	6	21.38"x7.25"x8.25"	0.74	8	60



**DAP® FAST 'N FINAL®**  
Lightweight Spackling  
(Ready To Use)



A lightweight spackling that lets you patch and prime in one easy step, saving time and money.

- Dries fast
- No need for sanding or priming
- Paint in minutes

**Use:** Interior and exterior. Ideal for small repairs, cracks and dents in drywall, plaster, wood and stucco.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
12321	3 fl oz	WHITE	12321	0.95	6	6.06"x5.13"x8.38"	0.15	2	300
12140	8 fl oz	WHITE	12140	3.50	12	13.5"x10"x3.75"	0.29	9	154
12141	1 pt	WHITE	12141	7.50	12	15.5"x12"x4.75"	0.51	6	80
12142	1 qt	WHITE	12142	7.25	6	15"x10"x5.25"	0.46	3	96
12143	1 gal	WHITE	12143	18.25	4	16"x16"x8.25"	1.22	0	30

**DAP® ELASTOPATCH®**  
Pro-Grade Elastomeric  
Patching Compound-  
Smooth  
(Ready To Use)

A high performance, elastomeric pro-grade patching, sealing and bridging compound for repairing recurring cracks in wood, masonry, stucco, drywall and plaster.

- 50% more flexible than traditional vinyl and acrylic spackling compounds
- Prevents cracks from reappearing
- Expands and contracts with surface movements
- Won't shrink or crack
- Paintable

**Use:** Interior and exterior. To achieve smooth surface appearances.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
12276	10.1 fl oz	WHITE	12276	14.72	12	8"x6"x12"	0.33	5	108
12278	32 fl oz	WHITE	12278	22.19	6	15"x10"x5.25"	0.46	9	96
12280	128 fl oz	WHITE	12280	28.25	2	16"x8"x8.25"	0.61	2	75

**DAP® ELASTOPATCH®**  
Pro-Grade Elastomeric  
Patching Compound-  
Textured  
(Ready To Use)

A high performance, elastomeric pro-grade patching, sealing and bridging compound for repairing recurring cracks in wood, masonry, stucco, drywall and plaster.

- 50% more flexible than traditional vinyl and acrylic spackling compounds
- Prevents cracks from reappearing
- Expands and contracts with surface movements
- Won't shrink or crack
- Paintable

**Use:** Interior and exterior. To achieve textured surface appearances.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
12286	10.1 fl oz	OFF WHITE	12286	12.79	12	8"x6"x12"	0.33	4	108
12288	32 fl oz	OFF WHITE	12288	18.45	6	15"x10"x5.25"	0.46	8	96
12290	128 fl oz	OFF WHITE	12290	24.22	2	16"x8"x8.25"	0.61	1	75



**DAP® FASTPATCH® 30 Patching Compound Powder (Dry Mix)**

A high-performance, multi-purpose powder patching compound formulated to set fast and dry hard. Sets hard in 30 minutes, faster than traditional compounds.

- Patch and paint the same day
- No priming needed
- Patch may be filed, drilled, nailed or chiseled
- Exceptional anchoring strength for fasteners
- High compressive strength
- Superior impact resistance
- Won't shrink or crack

**Use:** Interior. Fast repairs to holes, cracks and nail pops in drywall and plaster walls and ceilings. Fill, level or patch small cracks, holes and chips in concrete, masonry, plaster, wallboard and wood.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
58550	3.5 lb	WHITE	58550	15.55 lb	4	11.25"x8.25"x10.75"	0.58	8	60

**DAP® Vinyl Spackling (Ready To Use)**

All-purpose, heavyweight spackling compound for repairing and filling cracks and holes in wallboard, drywall, plaster, wood, brick and stone.

- Spreads smoothly
- Sands easily
- Resists cracking

**Use:** Interior and exterior, for fast repairs



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
12130	8 fl oz	WHITE	12130	12.81	12	13.5"x10"x3.75"	0.29	0	154
12132	32 fl oz	WHITE	12132	24.75	6	15"x10"x5.25"	0.46	4	96
12133	128 fl oz	WHITE	12133	33.08	2	16"x8"x8.25"	0.61	1	75



**DAP® Wallboard Joint Compound (Ready To Use)**

A pre-mixed, professional grade compound for taping, finishing and texturing interior gypsum wallboard.

- Easy to apply
- Minimal shrinkage
- Easy to sand

**Use:** Interior. It can be used to cover and finish gypsum wallboard joints, embed reinforcing tape, metal corner beads, screw or nail holes.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
10100	3 lb	WHITE	10100	19.50	6	15"x10"x5.25"	0.46	5	96
10102	12 lb	WHITE	10102	51.08	4	16"x16"x8"	1.19	9	30

**DAP® Lightweight Wallboard Joint Compound (Ready To Use)**

Finishes gypsum panel joints with less work, easy sanding and lightweight handling. Saves time on the job.

**Use:** Interior.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
10114	1 gal	WHITE	10114	42.92	4	16"x16"x8.25"	1.22	2	30

**DAP® DRYDEX® Lightweight Low Dust Joint Compound (Ready To Use)**

Premium, pre-mixed joint compound for the ultra-smooth, high quality finishing of gypsum panel joints, nail head and metal corner beads.

- Sands easily
- 70% less airborne dust than other low dust joint compounds
- Less mess and fast clean-up
- DRYDEX® technology indicating when ready for finishing (goes on pink, dries white)
- De-aired formula eliminates pinholes
- Ultra-smooth finish

**Use:** Interior.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
12385	32 fl oz	WHITE	12385	23.92	8	10.38"x10.38"x10.25"	0.64	4	64
10120	128 fl oz	WHITE	10120	21.58	2	16"x8"x8.25"	0.61	3	75



**DAP® All-Purpose Stucco Patch (Ready To Use)**

An easy-to-use patching compound for repairing minor cracks and breaks in stucco.

- Blends evenly when painted
- Textured finish

**Use:** Interior and exterior.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
10504	32 fl oz	WHITE	10504	25.20	6	15"x10"x5.25"	0.46	1	96
60590	128 fl oz	WHITE	60590	66.28	4	16"x16"x8.25"	1.22	9	30

**DAP® All-Purpose Stucco Patch (Dry Mix)**

Professional-quality for repairs in stucco and textured surfaces.

- Durable and permanent
- Easy to tool and paint
- Just add water

**Use:** Interior and exterior.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
10502	25 lb	WHITE	10502	25.16	1	19.5"x10.5"x4"	0.47	7	96

**DAP® Plaster Wall Patch (Dry Mix)**

Professional-quality for repairs in plaster walls and ceilings.

- Easy to mix
- Easy to apply and sand
- Provides longer working time of 2-3 hrs
- Just add water

**Use:** Interior.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
10304	25 lb	WHITE	10304	25.25	1	19.5"x10.5"x4"	0.47	7	96



**DAP® WEBPATCH™ 90**  
**Floor Leveler and Patch**  
**(Dry Mix)**

General purpose, gypsum-based floor leveler and patch.

- Ready to mix with water or DAP® Bonding Liquid & Floor Leveler Additive.

**Use:** Internal. Patch cracks and holes in drywall, wood concrete and masonry. Prepares surfaces for carpet, rubber, wood flooring and other materials. Can be used on walls and ceilings.

*NOTE: Not for use under vinyl sheet goods. Use Concrete Floor Leveler & Patch or Concrete Patcher & Resurfacer.*



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
10314	4 lb	OFF WHITE	10314	25.32	6	12.5"x8.5"x8.5"	0.52	6	90
63050	25 lb	OFF WHITE	63050	25.24	1	19.5"x10.5"x4"	0.47	5	96

**DAP® PRESTO PATCH®**  
**Multi-Purpose**  
**Patching Compound**  
**(Dry Mix)**

All-purpose, high-performance patching compound formulated to set fast and dry hard.

- Sets in 5-10 minutes
- Ready to paint in 30 minutes
- Just add water

**Use:** Interior. Wall, ceiling and floor projects.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
58505	4 lb	WHITE	58505	25.20	6	12.5"x8.5"x8.5"	0.52	8	90
58552	25 lb	WHITE	58552	25.24	1	19.5"x10.5"x4"	0.47	2	96

**DAP® PRESTO PATCH®**  
**Ready-Mixed Multi-Purpose**  
**Patching Compound**  
**(Ready To Use)**

Multi-purpose patching compound for filling, leveling or patching cracks and holes in concrete, masonry, plaster, wallboard, wood and stucco.

- High-performance compound
- Dries quickly
- No mixing required
- It can be drilled, nailed, filed or painted once dried
- Smooth finish

**Use:** Interior.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
58555	1 gal	WHITE	58555	30.50	2	16"x8"x8.25"	0.61	3	75




DAP® Plaster of Paris (Dry Mix)

For general wall and ceiling repair. Sets hard in 20-30 minutes without shrinking.

- Working time of 6 to 10 minutes
- Can be painted with latex based paint once dried
- Conforms to ASTM 4236
- Smooth formula with no shrinking

Use: Interior.




Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
10308	4 lb	WHITE	10308	27.14	6	19.5"x13.5"x7"	1.07	5	42
10310	8 lb	WHITE	10310	34.52	4	16.5"x9"x15.5"	1.33	8	36
10312	25 lb	WHITE	10312	25.24	1	19.5"x10.5"x4"	0.47	2	96
10318	4 lb BOX	WHITE	10318	25.32	6	12.5"x8.5"x8.5"	0.52	4	90

DAP® Plaster of Paris Hobby & Craft (Dry Mix)

Ideal for hobby, molds and casts. Sets hard in 20-30 minutes without shrinking.

- Working time of 7-12 minutes
- Can be painted with latex based paint once dried
- Conforms to ASTM 4236
- Smooth formula with no shrinking

Use: Interior. Great for casting molds. Can be used for patching applications.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
53005	4.4 lb	WHITE	53005	27.72	6	12.5"x8.5"x8.5"	0.52	8	90

DAP® Patching Plaster (Ready To Use)

Economical plaster patching product for everyday household repairs to plaster and drywall. Dries hard with minimal shrinkage.

Use: Interior.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
52084	32 fl oz	WHITE	52084	23.70	6	15"x10"x5.25"	0.46	4	96
52290	128 fl oz	WHITE	52290	30.5	6	30.5"x16"x8.25"	0.611	9	75



**DAP®  
PREMIUM WOOD FILLER®**

**CUSTOM**  
**3in1 FILLER & SEALER**  
Wood Filler • Grain Filler • Sealer Coat

A custom 3-in-1 wood filler, grain filler and sealer coat. \*Chameleon Technology - mix with stains and other pigments in the wet state for an exact match or to add a touch of color

- Fill natural wood grain
- Smooth tabletop finish
- Fast drying
- Easy water clean-up
- Accepts majority of top coats and finishes

**Use:** Interior and exterior. Thin slightly with warm water for a thick paint-like consistency to use as a grain filler.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00550	16 fl oz	WHITE	00550	8.92	4	8"x8"x4.75"	0.18	1	270

**DAP® PLASTIC WOOD®  
Solvent Professional  
Wood Filler  
(Ready To Use)**



High-performance, solvent-based wood filler that hardens to give a repair that is 3X stronger\*.

- Professional-grade wood filler
- Contains real wood fibers - looks and acts like real wood
- Can be sanded, cut, drilled, screwed, planed, varnished, painted, stained or lacquered.
- Strong nail and screw anchoring without splitting.
- Dries fast
- Shrink and crack resistant
- Available in a variety of wood shades
- Mineral spirits clean-up

**Use:** Interior and exterior. For use on furniture, doors, paneling, molding, plywood and other wood surfaces.

*\*Than competitive product*



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
21506	8 fl oz	NATURAL	21506	14.64	12	14"x10.38"x4.5"	0.38	1	117
21502	4 fl oz	NATURAL	21502	3.93	12	8"x5.5"x5"	0.13	3	378
21400	4 fl oz	LIGHT OAK	21400	3.93	12	8"x5.5"x5"	0.13	2	378
21404	4 fl oz	PINE	21404	3.91	12	8"x5.5"x5"	0.13	0	378
21408	4 fl oz	GOLDEN OAK	21408	3.92	12	8"x5.5"x5"	0.13	8	378
21412	4 fl oz	WHITE	21412	4.39	12	8"x5.5"x5"	0.13	5	378
21434	4 fl oz	WALNUT	21434	3.93	12	8"x5.5"x5"	0.13	7	378
21500	1.87 fl oz	NATURAL	21500	1.98	12	5"x5.5"x6.5"	0.10	9	336
21510	1.87 fl oz	NATURAL	21510	1.06	6	7.69"x4.44"x9.31"	0.18	8	208



**DAP® PLASTIC WOOD-X™**  
**All Purpose Wood Filler with**  
**DryDex® Dry Time Indicator**

**GOES ON PINK DRIES**

**NATURAL**

High quality latex-based wood filler that goes on pink and dries natural letting you know when it's time to sand and stain.

- Looks and acts like real wood
- Easy to use
- Can be troweled and molded for structural repairs
- Dries fast and smooth
- Can be sanded, cut, planed, drilled, nailed or screwed
- Strong nail and screw anchoring
- Cleans up with soap and water when wet

**Use:** Interior and exterior. Repair cracks, gouges, holes and other surface defects on furniture, molding, cabinets, plywood, and other wood surfaces.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00540	5.5 fl oz	NATURAL	00540	4.59	12	8.5"x6"x6"	0.18	2	312
00541	8 fl oz	NATURAL	00541	3.46	6	8.75"x4.25"x5"	0.11	9	280
00542	16 fl oz	NATURAL	00542	8.75	8	9"x8.75"x5"	0.23	6	140
00543	32 fl oz	NATURAL	00543	8.51	4	12"x6"x6"	0.25	3	126

**DAP® PLASTIC WOOD-X™**  
**Wood Repair Kit with DryDex®**  
**Dry Time Indicator**

**GOES ON PINK DRIES**

**NATURAL**

A complete wood repair project solution. High-quality latex-based wood filler that goes on pink and dries natural letting you know when it's time to sand and stain.

**Includes all the necessary tools:**

- PLASTIC WOOD-X™ DRYDEX® Spackling- Goes on pink, dries natural
- 2" Putty Knife
- Dual-Grit (60/100) Sanding Block



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00596	1 ea-8 fl oz	NATURAL	00595	4.8	6	16.4"x6.9"x8.25"	0.54	2	70



DAP® PLASTIC WOOD®  
Latex All Purpose  
Wood Filler (Ready To Use)



High quality latex-based wood filler formulated to create a surface and body that looks and acts like real wood and provides a repair that is 3X stronger than competitive product.

- Easy to use
- Can be troweled and molded for structural repairs
- Dries fast and smooth
- Can be sanded, cut, planed, drilled, nailed or screwed.
- Strong nail and screw anchoring
- Cleans up with soap and water when wet

**Use:** Interior and exterior. Use to repair cracks, gouges, holes and other surface defects on furniture, molding, cabinets, plywood, and other wood surfaces.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00580	3 oz	NATURAL	00580	1.87	6	11.88"x3.19"x6.13"	0.13	8	180
00581	6 oz	NATURAL	00581	3.17	6	17"x3.75"x7.75"	0.29	5	156
00582	6 oz	GOLDEN OAK	00582	3.17	6	17"x3.75"x7.75"	0.29	2	156
00583	6 oz	RED OAK	00583	3.17	6	17"x3.75"x7.75"	0.29	9	156
00584	6 oz	WALNUT	00584	3.17	6	17"x3.75"x7.75"	0.29	6	156
00585	6 oz	WHITE	00585	3.17	6	17"x3.75"x7.75"	0.29	3	156
08135	0.5 pt	NATURAL	08135	3.46	6	8.75"x4.25"x5"	0.11	2	280
00529	1 pt	NATURAL	00527	8.75	8	9"x8.75"x5"	0.23	3	140
00525	1 qt	NATURAL	00525	8.51	4	12"x6"x6"	0.25	9	126



**DAP® PLASTIC WOOD®  
Wood Putty  
(Ready To Use)**

An easy-to-use, non-hardening wood putty ideal for filling small holes and minor defects in interior wood surfaces after assembly and finishing.

- Available in 12 popular tones
- Colors can be blended for custom color matching

**Use:** Interior. Recommended for filling and hiding countersunk nail holes, gouges, scratches and mitre joints.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
21245	3.7 oz	WHITE	21245	1.75	6	7.5"x4.75"x2.25"	0.05	9	630
21247	3.7 oz	LIGHT OAK	21247	1.75	6	7.5"x4.75"x2.25"	0.05	3	630
21250	3.7 oz	CHERRY	21250	1.75	6	7.5"x4.75"x2.25"	0.05	3	630
21251	3.7 oz	LIGHT WALNUT	21251	1.75	6	7.5"x4.75"x2.25"	0.05	0	630
21255	3.7 oz	DARK WALNUT	21255	1.75	6	7.5"x4.75"x2.25"	0.05	8	630
21262	3.7 oz	RED OAK	21262	1.75	6	7.5"x4.75"x2.25"	0.05	6	630
21266	3.7 oz	EBONY	21266	1.75	6	7.5"x4.75"x2.25"	0.05	4	630
21268	3.7 oz	RED MAHOGANY	21268	1.75	6	7.5"x4.75"x2.25"	0.05	8	630
21270	3.7 oz	MAPLE	21270	1.75	6	7.5"x4.75"x2.25"	0.05	1	630
21272	3.7 oz	NATURAL PINE	21272	1.75	6	7.5"x4.75"x2.25"	0.05	5	630
21274	3.7 oz	PICKLED OAK	21274	1.75	6	7.5"x4.75"x2.25"	0.05	9	630
21276	3.7 oz	NATURAL OAK	21276	1.75	6	7.5"x4.75"x2.25"	0.05	3	630

**DAP® BLEND STICK®  
Value Packs**

The quick, easy way to repair nail holes, scratches and other minor blemishes in finished wood surfaces.

- Teardrop shape for ease of use
- Will not shrink, stain or discolor
- Available in 3 value packs, featuring 4 colors each, to match most wood surfaces

**Use:** Interior. Ideal for wood and simulated wood surfaces such as paneling, woodwork, molding, furniture and cabinets.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
04080	1 ea	LIGHT WOODS	04080	1.50	12	7.75"x4"x6.75"	0.12	9	250
04083	1 ea	RED WOODS	04083	1.50	12	7.75"x4"x6.75"	0.12	0	250
04085	1 ea	DARK WOODS	04085	1.50	12	7.75"x4"x6.75"	0.12	4	250



**DAP® PLASTIC WOOD®  
Wood Finish Repair Kit™**

WOOD FINISH REPAIR KIT™ features two Wood Stain Pens (Light and Dark), each with a premium felt tip, ideal for color-blending and the repair of scratches on woodwork, furniture and paneling.

- Includes four colored blending sticks
- Includes application tools

**Use:** Interior. Repair minor defects in any finished wood surface.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
97500	1 ea	MULTICOLOR	97500	2.00	6	8.88"x3.88"x4.75"	0.10	2	350

**DAP® Painter's Putty '53'®  
(Ready To Use)**

Smooth, easy-working putty designed for the special needs of professional painters.

- Resists oil bleeding
- Exceptional paintability

**Use:** Interior and exterior. Ideal for filling nail holes, dents and cracks in wood surfaces. May also be used to glaze woods.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
12240	8 fl oz	WHITE	12240	13.18	12	13.5"x10"x3.75"	0.29	6	154
12242	16 fl oz	WHITE	12242	25.94	12	12.13"x8.13"x8.5"	0.49	0	85
12244	32 fl oz	WHITE	12244	25.50	6	15"x10"x5.25"	0.46	4	96



### DAP® '33'® Window Glazing (Ready To Use)



Paintable window glazing for use on wood, metal and aluminum sashes.

- Creates airtight water seal
- Resists sagging, cracking and shrinking
- Excellent weather resistance
- Knife-grade

Use: Interior and exterior



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
12120	0.5 pt	WHITE	12120	14.98	12	3.5"x10"x3.75"	0.29	1	154
12121	1 pt	WHITE	12121	29.54	12	15.5"x12"x4.75"	0.51	8	80
12122	1 qt	WHITE	12122	29.10	6	15"x10"x5.25"	0.46	5	96
12019	1 gal	WHITE	12019	38.42	2	16"x8"x8.25"	0.61	8	75

### DAP® Latex Window Glazing (Ready To Use)



Smooth, easy-working compound for glazing wood, metal and aluminum sashes.

- Resists cracking, sagging and chalking
- Gun grade

Use: Interior and exterior



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
12108	10.1 oz	WHITE	12049	16.00	12	8"x6"x12"	0.33	5	108

### DAP® '1012'® Window Glazing (Ready To Use)



Professional-quality glazing compound for face glazing metal sashes. No painting required. Knife-grade.

- No painting required
- Meets Federal Specifications TT-G-410E, CID-A-A-3734, ASTM C669.

Use: Interior and exterior



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
12059	1 gal	ALUMINUM GRAY	12059	37.62	2	16"x8"x8.25"	0.61	4	75



### DAP® Concrete Floor Leveler (Dry Mix)

General purpose, concrete-based floor leveling product for concrete and masonry surfaces.

- For use with DAP® Bonding Liquid & Floor Leveler Additive

**Use:** Interior and exterior. Ideal for patios, sidewalks, garages, and preparing surfaces for vinyl sheet good installation.




Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
10414	5 lb	GRAY	10414	31.20	6	12.5"x8.5"x8.5"	0.52	3	90
10416	25 lb	GRAY	10416	25.18	1	19.5"x10.5"x4"	0.47	7	96

### DAP® Concrete Patcher & Resurfacer (Dry Mix)

A fast-setting, polymer-fortified Portland cement patch.

- Adheres to concrete, brick, stone, stucco, wood subfloors and other clean masonry surfaces
- Crack-resistant formula

**Use:** Interior and exterior. For the repair of cracks, chips, and breaks in concrete and masonry.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
10466	5 lb	GRAY	10466	31.20	6	12.5"x8.5"x8.5"	0.52	2	90
10468	10 lb	GRAY	10468	43.18	4	16.5"x8.5"x12"	0.97	6	30

### DAP® Bonding Liquid & Floor Leveler Additive

Versatile product that can be used as an additive to increase adhesion and flexibility in plaster, mortar, concrete, floor leveler, stucco and weatherproof cement paint.

**Use:** Interior and exterior



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
35082	1 pt	WHITE	35082	7.50	6	7.5"x5"x8.5"	0.18	3	152
35090	1 gal	WHITE	35090	36.00	4	12.75"x12.75"x11.94"	1.12	8	27



**DAP® Concrete Bonding Additive**

Bonds old concrete to new. Perfect for concrete patching, resurfacing and leveling. Excellent for capping walls, patching steps and tuck pointing.  
**Use:** Interior and exterior



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
02131	1 qt	WHITE	02131	28.00	12	14"x10.5"x9.5"	0.81	0	33
02132	1 gal	WHITE	02132	36.00	4	12.75"x12.75"x11.94"	1.12	7	27

**DAP® Flexible Floor Patch and Leveler (Ready To Use)**

Latex-based product used to fill cracks, fastener or knot holes and level low areas in plywood subfloors or concrete surfaces.

- Ideal for filling and leveling surfaces prior to the installation of carpeting, vinyl floor tile or sheeting, and ceramic or mosaic floor tile.
- The floor patch and leveler will remain flexible, allowing the plywood subfloor to flex without cracking.

**Use:** Interior and exterior



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
59184	1 qt	LIGHT GRAY	59184	24.00	6	15"x10"x5.25"	0.46	4	96
59190	1 gal	LIGHT GRAY	59190	63.50	4	16"x16"x8.25"	1.22	5	30

**DAP® Liquid Cement Crack Filler (Ready To Use)**

Easy-to-use, ready-mixed product for the repair of cracks in concrete.

- Ready for traffic in 30-45 minutes
- Self-leveling
- Dries gray to match most existing concrete

**Use:** Interior and exterior



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
37584	1 qt	GRAY	37584	22.00	6	10.63"x7.19"x10.81"	0.48	0	84



**DAP® Ready-Mixed Concrete Patch (Ready To Use)**

A high-strength patching compound for repairing cracks or breaks in concrete and mortar joints.

- Dries to a durable hard finish
- Non-shrinking patch
- Easy water clean-up

**Use:** Interior and exterior. Patch and spot level interior or exterior concrete and masonry surfaces.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
31084	1 qt	GRAY	31084	25.05	6	15"x10"x5.25"	0.46	1	96
31090	1 gal	GRAY	31090	65.88	4	16"x16"x8.25"	1.22	2	30

**DAP® QUICK PLUG® Hydraulic & Anchoring Cement (Dry Mix)**

A versatile, high-performance patching compound formulated to stop running water through deep cracks, holes and imperfections in concrete and masonry surfaces.

- Water tight seal in 3-5 minutes
- Stops active leaks
- Fast setting anchoring cement
- Works above and below ground

**Use:** Interior and exterior. Ideal to permanently anchor fence and railing posts, bolts, machinery and fixtures into concrete and masonry surfaces.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
14084	2.5 lb	GRAY	14084	15.80	6	12.25"x7.25"x4"	0.21	4	180
14086	5 lb	GRAY	14086	31.20	6	12.5"x8.5"x8.5"	0.52	8	90
14090	10 lb	GRAY	14090	43.18	4	16.5"x16.5"x8.25"	1.30	5	30



### DAP® ECLIPSE™ Rapid Wall Repair Patch



DAP® ECLIPSE™ Rapid Wall Repair Patch is a unique and innovative drywall repair solution that is perfect for completing permanent repairs on damaged walls and ceilings.

- DAP's fastest, strongest, thinnest drywall patch repair solution
- Just apply & paint
- All-in-one, mess free repair tool
- No spackling or sanding needed
- Ability to paint immediately
- Stronger than drywall

**Use:** Interior. Available in 3 sizes: 2" patch for repairs up to 1" in diameter; 4" patch for repairs up to 2" in diameter and 6" patch for repairs up to 3" in diameter.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	UPC Check Digit	Cases per Pallet
09161	(4) 2"	CLEAR	09162	0.52	6	7.31"x3.75"x7.81"	7	300
09163	4"	CLEAR	09164	0.57	6	7.31"x3.75"x7.81"	1	300
09165	6"	CLEAR	09166	0.63	6	7.31"x3.75"x7.81"	5	300
09162	(4) 2"	CLEAR	09162	0.79	12	7.31"x3.75"x7.81"	7	300
09164	4"	CLEAR	09164	0.89	12	7.31"x3.75"x7.81"	1	300
09166	6"	CLEAR	09166	1.02	12	7.31"x3.75"x7.81"	5	300

### DAP® Wall Repair Patch

Repair wall holes and cracks easily—just clean the surface, apply the patch, spackle and finish.

- Self adhesive - no pre-pasting
- Repositionable
- No-rust aluminum mesh backing
- Cuts easily with scissors to match size of the hole

**Use:** Interior only



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
09146	6"x6"	NA	09146	3.20	12	8.38"x5.25"x7.75"	0.20	7	225

### DAP® Presto Patch® Drywall Plug

DAP® Presto Patch® is a simple, structural and invisible solution for permanently and easily repairing holes in drywall. Product includes one precut drywall circle with oversized taping paper attached, a foam template and step-by-step instructions.

**Use:** Interior only



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
09151	1/2"x4"	WHITE	09151	1.5	6	8"x4.25"x9.25"	0.18	9	300



### DAP® WELDWOOD® The Original Contact Cement



Fast Dry Formula

Premium quality, brush grade, neoprene-based contact cement that meets the stringent requirements of the professional user. High strength and initial grab make it ideal for most projects. Fast-drying formula dries in 15-20 minutes. Offers high heat and water resistance when dry.

**Use:** Interior and exterior



Case Code	Case	Case Dimensions	Case Code	UPC Weight (lb)	Cases Pack	LxWxH	Case Size Volume (cu ft)	Color Check Digit	Product per Pallet
00271	1 pt	TAN	00271	13.75	12	14"x10.5"x4.25"	0.36	5	130
00272	1 qt	TAN	00272	12.67	6	13.5"x9"x5"	0.35	2	144
00273	1 gal	TAN	00273	31.67	4	13.5"x13.5"x8"	0.84	9	45

### DAP® WELDWOOD® Contact Cement



3 oz Brush Applicator

Instantly bonds on contact. Can be used on a variety of materials. Provides a durable, water resistant bond. Handy brush applicator included in 3 oz bottle.

**Use:** Interior and exterior



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00129	.67 oz	TAN	00129	1.04	12	7.36"x6.02"x3.66"	0.05	9	583
00107	3 oz	TAN	00105	3.54	12	8.75"x6.63"x3.62"	0.12	3	336

### DAP® WELDWOOD® Gel Formula Contact Cement



Gel Formula

WELDWOOD® Original Contact Cement formula in an easy-to-use gel that won't drip. No mess. Ideal for vertical and overhead surfaces. Easy spread provides excellent coverage. Long assembly/open time.

**Use:** Interior and exterior



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
25312	1 qt	TAN	25312	13.00	6	13.5"x8.75"x5.13"	0.35	4	144


### DAP® WELDWOOD® Nonflammable Contact Cement



Low Odor

High solids polychloroprene, waterborne contact adhesive that meets the stringent requirements of the professional user. Complies with all current VOC requirements. Dries in 60-70 minutes. Water resistant when dry. Exceeds industry performance requirements. Low odor. Easy water clean-up.

**Use:** Interior and exterior



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
25332	1 qt	NATURAL	25332	15.75	6	13.5"x8.75"x5.25"	0.36	2	144
25336	1 gal	NATURAL	25336	39.25	4	13.5"x13.5"x8"	0.84	0	45



**Extremely Flammable – Brush Grade**

**DAP® 0308 Premium Brush Grade High Heat Resistant Contact Adhesive**

Superior quality adhesive designed to allow maximum application of

adhesive with minimum strokes of brush or roller. DAP® 0308 Premium has developed a broad range of applications in industry. Dries rapidly with high strength and high heat resistance.

Case Code	Size	Color	Case Pack	Case Weight (lb)
00094	5 gal	NATURAL	1	36.75

**DAP® 2056 Professional Brush Grade Contact Adhesive**

A medium viscosity formulation which meets the requirements of many applications. A general purpose contact adhesive, DAP®

2056 Professional is often the choice of shops and tradesmen engaged in a variety of projects requiring contact adhesive. Easy to apply. Fast drying.

Case Code	Size	Color	Case Pack	Case Weight (lb)
00241	5 gal	NATURAL	1	35.00

**Extremely Flammable – Spray Grade**

**DAP® Landau Top & Trim High Heat Resistant Contact Cement**

The ideal contact cement for automotive interior applications.

Its high heat resistance is well suited for adhering headliners, fabric and many other materials during automobile refurbishment. Easy to apply with hot or cold spray equipment.

Case Code	Size	Color	Case Pack	Case Weight (lb)
00233	1 gal	NATURAL	4	29.50
00234	5 gal	NATURAL	1	36.00
00235	55 gal	NATURAL	1	400.00
00237	5 gal	RED	1	36.00

**DAP® Landau Top & Trim 1145 High Heat Resistant Contact Cement**

DAP's lower VOC, professional contact adhesive with high-bond strength that increases with

age Landau Top & Trim 1145's high solids, low solvent formula maintains excellent adhesion in high temperatures. Its enhanced formula is especially developed for interior automotive, marine & RV customization & refurbishment.

Case Code	Size	Color	Drum Type	Case Pack	Case Weight (lb)
00250	5 gal	NATURAL		1	37.80

**DAP® 0306/0307 High Heat Resistant Contact Adhesive**

This industry standard, used with confidence for years, meets the

requirements of a wide range of applications. Features ease of use and excellent end results. May be applied with standard hot or cold spray equipment.

Case Code	Size	Color	Drum Type	Case Pack	Case Weight (lb)
00095	5 gal	NATURAL		1	37.00
00097	5 gal	RED		1	37.00
04051	55 gal	NATURAL	O.H.*	1	414.00
04054	55 gal	RED	O.H.*	1	424.00

Description		Solids (percent)	Viscosity, cPs	Density, lb/gal.	Color(s)	Sq. Ft. Coverage (2-3 g dry)	Shelf Life	VOC Less H-0/ Exempt g/L	Sizes (Gallons)	
<b>Brush Grade (Flammable Solvent)</b>										
0308	Premium	HHR*	24	900-1200	6.8	NATURAL	309	1 yr	592/475	5-55
2056	Prof.	HHR*	20	550-800	6.7	NATURAL	253	1 yr	606/490	5-55
<b>Spray Grade (Flammable Solvent)</b>										
0307	Std.	HHR*	19	130-200	6.6	RED	237	1 yr	621/499	5-55
0306	Std.	HHR*	19	130-200	6.6	NATURAL	237	1 yr	621/499	5-55
LANDAU	Std.	HHR*	19	130-200	6.6	RED	237	1 yr	621/499	1-5-55
1145	Std.	HHR,	24	400-450	7.8	NATURAL	237	1yr	540	5

\*(T.H.) Tight Head \*(O.H.) Open Head \*(HHR) High Heat Resistance

For more detailed information, request the technical data sheet for any of our products by calling 1-888-327-8477 or visit our website at [dap.com](http://dap.com)



### DAP® WELWOOD® Contact Cement Spray Adhesive



Easy to Control Spray Pattern

DAP® WELWOOD® Contact Cement Spray Adhesive is a high-strength, high-temperature-resistant formulation that bonds laminate, veneer, upholstery, kickplates, trim, wood, metal, plastic & more. It is ideal for use on trim work, door panels, decorative laminates, upholstery work, and many other demanding applications.

**Ideal for:** Wood, Veneer, Metal, Plastic, Laminate, Paper, Upholstery, Foam & More



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00119	11 oz	CLEAR	00119	6.51	6	8.13"x5.5"x9.37"	0.24	0	80
00120	14 oz	CLEAR	00120	7.31	6	8.13"x5.5"x10.87"	0.28	6	80

### DAP® RapidFuse® All Purpose Spray



Durable Bond

Dries Clear

Easy to Control Spray Pattern

RapidFuse spray adhesive is a mist spray formula that is ideal for hobby/craft applications. The adhesive can be used for the temporary or permanent bonding of lightweight materials including carpeting, foils, many plastics, papers, felt, foams, metals and cardboard.

**Ideal for:** Paper, Fabric, Wood, Foam, Plastic, Metal & More



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00114	11 oz	CLEAR	00114	6.51	6	10.75"x8"x9.25"	0.251	5	80

### DAP® WELWOOD® Landau Top & Trim HHR Spray Grade



Exceptional Bond Strength

High Heat Resistance

Easy to Control Spray Pattern

DAP® Weldwood® Landau Top & Trim Spray Adhesive is a web formula that provides a long-lasting permanent bond on contact. When cured Landau Top & Trim is high heat resistant, water resistant, and creates a flexible bond. It is ideal for use Automotive interiors, laminate work, & many other demanding jobs.

**Ideal for:** Foam, Leather, Upholstery, Fabric, Vinyl Upholstery, Plastics, Carpeting, Laminate, Felt, Metals, Cardboard & More



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00127	14 oz	CLEAR	00127	7.31	6	8.13"x5.5"x10.87"	0.28	5	80



**DAP® RapidFuse®  
Fast Curing All-Purpose  
Adhesive**



RapidFuse® Fast Curing All-Purpose Adhesive provides a fast-setting, professional-strength, clear bond that's 40% stronger than polyurethane glues\* without the expanding foam or dripping glue mess. Bonds Virtually Everything including plastic, wood, rubber, metal, ceramics, glass, fabric, stone, tile & more. Sets in 30 seconds. 2X more durable than regular super glue. Water resistant formula ideal for both interior and exterior use.



\*40% Stronger than polyurethane glues based on averaging strength on ABS plastic, polycarbonate, white oak, rubber, and steel. 2X more durable than traditional cyanoacrylates.

Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00183	.85 oz Auto/Marine	CLEAR	00183	1.38	6	6.75"x4.38"x7"	0.119	1	324
00155	.85 oz	CLEAR	00155	1.38	6	6.75"x4.38"x7"	0.119	8	324
00158	(2) 3g TUBES	CLEAR	00158	1	12	7.06"x4.31"x8.62"	0.125	9	275
00173	16g Brush	CLEAR	00173	1 lb	6	6.75"x4.38"x7"	0.12	2	336

**DAP® RapidFuse®  
Plastic Primer Kit**

**BONDS ALL PLASTICS**

RapidFuse Fast Curing All Purpose Adhesive with Plastic Primer is the ideal solution for all of your plastic repairs. Easy to use! Sets in 30 seconds, cures in 30 minutes. Works on all common household materials and all plastics – even hard-to-bond plastics with the use of the plastic primer. Plus, unlike traditional super glues, the bond won't become brittle while delivering long-lasting durability. The bond is clear – no expanding foam, no dripping glue, no mess. ideal for both interior and exterior use.



\*40% Stronger than polyurethane glues based on averaging strength on ABS plastic, polycarbonate, white oak, rubber, and steel. 2X more durable than traditional cyanoacrylates.

Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00171	0.16 fl oz Primer 0.1 oz Tube	CLEAR	00171	0.94	6	6.75"x4.38"x7"	0.119	8	583
00184	Auto/Marine 0.16 fl oz Primer 0.1 oz Tube	CLEAR	00184	0.94	6	6.75"x4.38"x7"	0.119	5	583

**DAP® RapidFuse®  
Fast Curing  
Gel Adhesive**



RapidFuse® Fast Curing Gel Adhesive provides a fast-setting, professional-strength, clear bond that won't drip or run for easy, clean-looking results. Bonds Virtually Everything including plastic, wood, rubber, metal, ceramics, glass, fabric, stone, tile & more. Thick gel formula is ideal for uneven surfaces. Sets in 30 seconds. 2X more durable than regular Super Glue. Water resistant formula ideal for both interior and exterior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00179	0.13 oz	CLEAR	00179	0.73	6	7.77"x4.25"x6.93"	0.132	4	350
00178	20 g	CLEAR	00178	0.94	6	7.77"x4.25"x6.93"	0.132	7	225



### DAP® RapidFuse® Ultra Clear All Purpose Adhesive



DAP® RapidFuse® Ultra Clear All Purpose Adhesive is a hybrid adhesive that creates a crystal clear bond for the clearest and cleanest results on all your projects and household repairs. Bond virtually everything with a strong, flexible and durable bond that will not yellow as it ages. Ideal for bonding clear materials. This easy-to-use formula is non-skin bonding, won't foam or expand, and sets in less than 30 minutes. It forms a water-resistant bond that is ideal for both interior and exterior use.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00180	1.67 fl oz	CRYSTAL CLEAR	00180	1.3	6	6.75"x4.38"x7"	0.12	0	324

### DAP® BLUESTIK® Reusable Adhesive Putty

Reusable, removable blue adhesive putty that replaces tape, tacks, staples and magnets. No more holes in walls and no more chipped, peeled paint. Sticks just about anything to slick or hard surfaces such as wood, tile, glass, concrete, porcelain, metal and painted surfaces. Use to fasten decorations, posters, notes and paintings. Can be used time and time again. Packaged in a new, resealable bag that keeps product clean and fresh for optimal adhesion and reuse. Won't dry out. Non-toxic. Conforms to ASTM D4236.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
01201	1 oz	BLUE	01201	1.25	12	6"x4.25"x4.5"	0.07	1	528



### DAP® TANK BOND® Thread Stopper

**UP TO 5X REUSE & REPLACE PER APPLICATION**

Tank Bond® Thread Stopper coats the threaded bolt or screw with a gel like coating to help absorb shock and vibration. Unlike traditional threadlockers, Thread Stopper is a non-permanent solution that allows users to remove and reuse the coated bolt or screw up to 5x as opposed to single use threadlockers.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00167	0.2 oz	ORANGE	00167	0.6	12	7.25"x5.5"x4.75"	0.11	1	378
00169	Tape 5 ft	ORANGE	00169	0.4	6	6.75"x4.38"x7"	0.12	5	225

### DAP® TANK BOND® Liquid Grip



Works on all fastener types and sizes

Tank Bond® Liquid Grip prevents screws from stripping and instantly increases grip for easier installation or removal. The Liquid Grip formula works on all fastener types and sizes and wipes off cleanly from tools and fasteners when work is done.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00177	0.2 fl oz	CLEAR	00177	0.6	12	7.25"x5.5"x5"	0.11	0	384
00181	0.2 fl oz	CLEAR	00177	1.31	6	6.75"x4.38"x7"	0.12	0	324

### DAP® TANK BOND® Threadlockers



Permanent



Removable

Tank Bond® Permanent and Removable Gel Threadlockers create a strong permanent or removable bond. Our no drip gel formula allows users to place the threadlockers where they need to with more precision and with less mess.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00165	0.2 oz	BLUE	00165	0.6	12	7.25"x5.5"x4.75"	0.11	4	378
00166	0.2 oz	RED	00166	0.6	12	7.25"x5.5"x4.75"	0.11	7	378



### DAP® TANK BOND® Heavy Duty Advanced Epoxy



Tank Bond® Heavy Duty Advanced Epoxy creates a durable and reliable bond that is 4X tougher\* than regular epoxy and requires zero surface preparation for application. Our Advanced Epoxy cures in as fast as 30 minutes and offers high impact resistance.

\*Based on Impact resistance testing vs traditional epoxies.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00176	0.9 oz	GRAY	00176	1.31	6	5.63"x5.38"x9.13"	0.16	3	272

### DAP® TANK BOND® Clear Epoxy



Tank Bond® Clear Epoxy is a fast-setting 2-part epoxy that dries clear and bonds a wide range of substrates. Sets in 5 minutes. Forms a water-resistant bond for use on interior or exterior repairs. Choose this gap-filling epoxy to create high-strength, durable repairs that super glues and all-purpose adhesives just can't handle.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00168	0.85 oz	CLEAR	00168	1.19	6	8.38"x4.88"x6.5"	0.154	8	252



**DAP® WELDWOOD®  
Original Wood Glue**



Professional quality aliphatic resin wood and multi-purpose glue that provides a high strength bond. Sets fast, grips tight and sands easily when dry. Heat, water and solvent resistant. Non-toxic. Low VOC content.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00496	4 oz	YELLOW	00496	3.85	12	7.68"x5.31"x6.1"	0.144	2	258
00497	8 oz	YELLOW	00497	9.92	12	10.43"x6.3"x7.1"	0.27	9	140
00491	16 oz	YELLOW	00491	15.90	12	12.25"x8.5"x9.25"	0.557	7	80
00492	32 oz	YELLOW	00492	32.00	12	17.5"x9.5"x10"	0.962	4	40
00498	128 oz	YELLOW	00498	19.18	2	11.42"x5.9"x12.2"	0.476	6	72
00494	5 gal	YELLOW	00494	46.00	1	12.25"x12.25"x14.75"	1.28	8	36
00495	55 gal	YELLOW	00495	541.50	1	23.5"x23.5"x34.25"	10.95	5	4

**DAP® WELDWOOD®  
Plastic Resin Glue**

Powdered, urea-formaldehyde wood glue activated by mixing with water. Forms a bond stronger than the wood itself. Meets Federal Specification A-A-3052. Low VOC content.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00203	1 lb	TAN	00203	8.00	6	15"x10"x5"	0.43	6	54
00204	4.5 lb	TAN	00204	21.50	4	16"x16"x8"	1.18	3	30
00208	300 lb	TAN	00208	317.00	1	23.5"x23.5"x34.25"	10.95	1	4

**DAP® RapidFuse®  
Fast Curing  
Wood Adhesive**



RapidFuse® Wood Adhesive creates a professional-strength, durable bond that fully cures in just 30 minutes for full return to service – ready to plane, sand and stain. Repositionable for up to 3 minutes. Works on all wood types, no activator required. Water resistant formula won't swell, crack or damage wood. Cures to a clear bond that can be sanded, stained or painted. Ideal for interior or exterior use. Easily bonds to other surfaces like ABS, melamine, particle board, rubber, steel, PVC, glass, stone, and more.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00157	4 oz	CLEAR	00157	2.75	6	8.75"x5.31"x9.25"	0.249	2	170



DAP® DYNAGRIP® Heavy Duty Construction Adhesive



DAP® DYNAGRIP® HEAVY DUTY construction adhesive is a premium high strength adhesive for heavy interior/exterior construction and remodeling projects. DYNAGRIP® HEAVY DUTY delivers a powerful instant grab to hold the toughest vertical projects in place instantly. Featuring a weather resistance bond once fully cured, this adhesive provides a durable long-lasting bond and strong adhesion on a wide range of building materials.

Use: Interior and exterior

\*Stronger than competitive heavy duty construction adhesives.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
27507	5 oz	OFF-WHITE	27508	5.99	12	9.19"x6.94"x5.3"	0.196	9	216
27509	9 oz	OFF-WHITE	27509	12.07	12	8"x6"x12"	0.33	6	108
27510	28 oz	OFF-WHITE	27510	32.53	12	10.75"x8.13"x16.88"	0.85	2	60

DAP® DYNAGRIP® Heavy Duty Max Construction Adhesive



DYNAGRIP® HEAVY DUTY MAX is a premium hybrid adhesive that delivers up to 5x faster bond strength, than competitive polyurethane based heavy duty adhesives, for heavier applications where bond strength and speed are critical. This easy to gun moisture curing adhesive can be applied in a wide range of temperatures for heavier interior or exterior jobs. Offering powerful adhesion to porous & non-porous building materials where traditional adhesives struggle such as, wet surfaces, PVC, glass, marble, and metal, this is a versatile high performance adhesive for tackling the toughest jobs.

Use: Interior and exterior

\*Develops strength up to 5x faster than polyurethane based heavy duty adhesives within 24 hours of application.



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
27511	9 oz	WHITE	27511	13.6	12	8"x6"x12"	0.33	9	108

DAP® DYNAGRIP® All-Purpose Construction Adhesive

DYNAGRIP® ALL PURPOSE construction adhesive is a premium grade adhesive ideal for paneling, interior remodeling, and other interior projects. DYNAGRIP® ALL PURPOSE adhesive delivers a strong permanent bond and excellent adhesion on common building materials. Offering an easy water clean up and excellent instant grab, this adhesive delivers the perfect combination of convenience and performance for interior projects.

Use: Interior only



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
27501	10.3 oz	OFF-WHITE	27501	13.58	12	8"x6"x12"	0.33	0	108
27502	28 oz	OFF-WHITE	27502	35.78	12	10.5"x8"x17"	0.83	7	60



**DAP® DYNAGRIP®  
Subfloor  
Construction Adhesive**



DYNAGRIP® SUBFLOOR is a premium grade construction adhesive specifically formulated for subfloor & deck installation. This VOC compliant adhesive prevents floor squeaks and improves the structural performance of floor assembly when used properly. DYNAGRIP® SUBFLOOR is an easy to gun adhesive that delivers a strong durable bond.

**Use:** Interior and exterior



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
27514	10.3 oz	LIGHT TAN	27514	12.73	12	8"x6"x12"	0.33	0	108
27515	28 oz	LIGHT TAN	27515	33.47	12	10.5"x8"x17"	0.82	7	60

**DAP® DYNAGRIP®  
Advanced Subfloor  
Construction Adhesive**



DYNAGRIP® ADVANCED SUBFLOOR is a premium grade construction adhesive specifically formulated for subfloor & deck installation. This VOC compliant solvent based adhesive prevents floor squeaks and improves the structural performance of floor assembly when used properly. DYNAGRIP® ADVANCED SUBFLOOR adhesive delivers a high strength weatherproof bond on wet, frozen and treated lumber. This solvent based formula won't freeze and is easy to gun down to 0°F.

**Use:** Interior and exterior



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
27516	10.3 oz	LIGHT TAN	27516	11	12	8"x6"x12"	0.33	4	108
27042	28 oz	LIGHT TAN	27042	33.16	12	10.5"x8"x17"	0.83	8	60



DAP® DYNAGRIP® 4000 Subfloor Construction Adhesive

DYNAGRIP® 4000 SUBFLOOR is a premium grade construction adhesive specifically formulated for subfloor & deck installation. This easy to gun solvent based adhesive prevents floor squeaks and improves the structural performance of floor assembly when used properly. 4000 SUBFLOOR adhesive delivers a high strength weatherproof bond on wet, frozen & treated lumber.

Use: Interior and exterior



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
27517	10.3 oz	TAN	27517	10.59	12	8"x6"x12"	0.33	1	108
25117	28 oz	TAN	25117	28.66	12	10.5"x8"x17"	0.83	5	60

DAP® DYNAGRIP® Drywall Construction Adhesive



DYNAGRIP® DRYWALL construction adhesive is a premium grade adhesive specifically formulated for drywall installation. This VOC compliant, instant grab adhesive prevents nail pops and helps limit air and sound movement between walls. DYNAGRIP® DRYWALL is an easy to gun adhesive that delivers a strong permanent bond.

Use: Interior only



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
27518	28 oz	WHITE	27518	37	12	10.5"x8"x17"	0.83	8	60

DAP® DYNAGRIP® Drywall Construction Adhesive (Solvent)

DAP® DYNAGRIP® DRYWALL construction adhesive is specifically formulated for drywall & paneling installation. This adhesive reduces nail pops, adds strength to wall assembly and helps limit air and sound movement between walls.

Use: Interior only



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
27525	28 oz	GRAY	27525	32.29	12	10.5"x8"x17"	0.83	6	60



**DAP® DYNAGRIP®  
Foamboard  
Construction Adhesive**

DYNAGRIP® FOAMBOARD construction adhesive is a premium grade adhesive specifically formulated for insulation foam paneling installation. This VOC compliant adhesive provides excellent adhesion to foam panels and a variety of construction materials. DYNAGRIP® FOAMBOARD is an instant grab adhesive that provides a strong permanent bond and will not etch or burn through foam panels.

**Use:** Interior and exterior



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
27519	10.3 oz	WHITE	27519	13.25	12	8"x6"x12"	0.33	5	108

**DAP®  
DYNAGRIP®  
Wood-Panel-  
Trim  
Construction  
Adhesive**

DYNAGRIP® WOOD, PANEL, TRIM construction adhesive is a premium grade, high strength adhesive. This VOC compliant adhesive is specifically formulated for decorative panel and molding installation. DYNAGRIP® WOOD, PANEL, TRIM is an instant grab adhesive that delivers a precise vertical hold on wood, foam, and PVC trim ideal for decorative interior projects.

**Use:** Interior only



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
27520	10.3 oz	WHITE	27520	14	12	8"x6"x12"	0.33	1	108



### DAP® DYNAGRIP® Tub Surround Construction Adhesive



Shower Safe

Dries Clear  
For An  
Ideal Finish

DYNAGRIP® TUB SURROUND construction adhesive is a premium grade, high strength adhesive specifically formulated for tub surround installation. This premium adhesive is safe for use on all tub surround materials and dries clear for an ideal finish. DYNAGRIP® TUB SURROUND is an instant grab adhesive that is moisture, steam, water, and heat resistance once fully cured.

**Use:** Interior and exterior



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
27521	10.3 oz	WHITE	27521	12.50	12	8"x6"x12"	0.33	8	108

### DAP® DYNAGRIP® Mirror-Marble-Granite Construction Adhesive



Faster  
Bond Strength\*

Permanent  
Vertical Hold

DYNAGRIP® MIRROR, MARBLE, GRANITE is a premium grade hybrid adhesive specifically formulated for mirror and countertop installation. This premium hybrid adhesive provides a permanent vertical hold in one-hour ideal for mirror installation. This VOC compliant adhesive is easy to gun and will not stain or damage mirrors, countertops or finished surfaces. DYNAGRIP® MIRROR, MARBLE, GRANITE is a high strength adhesive that delivers exceptional adhesion on porous/non-porous construction materials.

**Use:** Interior and exterior



\*Develops strength up to 5x faster than competitive mirror, marble, granite adhesives within 24 hours of application.

Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
27522	9 oz	WHITE	27522	14.86	12	8"x6"x12"	0.33	5	108



**DAP® BEATS THE NAIL®**  
**All-Purpose**  
**Construction Adhesive**

For general construction, remodeling, maintenance and repair projects. Quick-grab formula provides a high-strength, heat and water-resistant bond to a variety of substrates. Meets ASTM Specification C557.  
**Use:** Interior and exterior



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
25082	10.3 oz	GRAY	25082	26.58	24	12"x8"x12"	0.67	6	54
25084	28 oz	GRAY	25084	35.50	12	10.5"x8"x17"	0.83	0	60

**DAP® SmartBond®**  
**Subfloor Gun-Grade**  
**Construction Adhesive**



DAP® SmartBond® Subfloor Construction Adhesive is a dynamic polyurethane adhesive foaming gel that is faster and easier to use than traditional cartridge adhesives. Jobs become more efficient as a single can of SmartBond provides 8X the coverage of traditional 28 oz. cartridge adhesives.  
**Use:** Interior and exterior



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00042	20 oz	TAN	00042	9.2	6	5.5"x8"x9.25"	0.24	1	200



DAP® WELDWOOD® Multi-Purpose Floor Adhesive



High-strength, trowel-grade, latex-based adhesive for bonding many types of floor coverings over a variety of surfaces. Formula provides greater shrink resistance and allows for easy repositioning during installation. Water resistant. Low odor, low VOC content, nonflammable and easy water clean-up. Use: Interior only



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lb), Case Pack, Case Dimensions LxWxH, Case Volume (cu ft), UPC Check Digit, Cases per Pallet. Rows include product codes 00141, 00142, and 00144.

DAP® WELDWOOD® Sheet Flooring Adhesive



Trowel-grade, latex-based, water-resistant adhesive designed for the installation of synthetic felt-backed resilient sheet goods. Allows for easy repositioning during installation. Low odor, low VOC content, nonflammable and easy water clean-up. Use: Interior only



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lb), Case Pack, Case Dimensions LxWxH, Case Volume (cu ft), UPC Check Digit, Cases per Pallet. Rows include product codes 25176 and 25178.

DAP® WELDWOOD® Wood Floor Adhesive



High-solids, trowel-grade, water-based synthetic adhesive developed specifically for installation of pre-finished wood flooring. For use on, above or below grade. Allows for normal expansion and contraction of wood floor. Good initial grab and firm-setting. Excellent water resistance. Low VOC content, nonflammable and easy water clean-up. Use: Interior only



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lb), Case Pack, Case Dimensions LxWxH, Case Volume (cu ft), UPC Check Digit, Cases per Pallet. Rows include product codes 25133 and 25136.



**DAP® WELDWOOD®**  
**Multi-Purpose Ceramic**  
**Tile Adhesive**

High-strength, trowel-grade, latex-based adhesive for installing ceramic and mosaic tile to floors, walls and countertops. Easy to spread, quick-grab formula requires no bracing. Provides excellent water resistance. Nonflammable and easy water clean-up.

**Use:** Interior only



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
25190	1 qt	WHITE	25190	21.50	6	15.25"x10.25"x5"	0.45	8	84
25192	1 gal	WHITE	25192	56.25	4	15.5"x15.5"x7.75"	1.08	2	30

**DAP® WELDWOOD®**  
**Cove Base Adhesive**



Trowel-grade, latex-based adhesive for installing vinyl rubber cove base. Provides good initial tack and easy spreading for rapid installation. No bracing required. Non-staining and excellent water resistance. Low odor, low VOC content, nonflammable and easy water clean-up. Available in cartridge and trowel-grade formats. |

**Use:** Interior only



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
25053	1 qt	OFF WHITE	25053	19.50	6	15.25"x10.25"x5"	0.45	6	84
25054	1 gal	OFF WHITE	25054	51.25	4	15.5"x15.5"x7.75"	1.08	3	30

**DAP® WELDWOOD®**  
**All Weather Outdoor**  
**Carpet Adhesive**

High-strength, trowel-grade, solvent-based adhesive for the installation of most outdoor carpets and artificial turfs. Weatherproof formula withstands rain, snow, ice and freezing. Use in cool or hot weather. Fast-grab. Resists curling.

**Use:** Exterior only



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00442	1 qt	TAN	00442	18.00	6	13.5"x9"x5"	0.35	9	144
00443	1 gal	TAN	00443	44.00	4	13.5"x13.5"x8"	0.84	6	45



DAP® WELDWOOD® Floor Tile Adhesive



Trowel-grade, latex-based, pressure-sensitive adhesive for the installation of interior floor tile. Offers longer working time for easy repositioning. Dries transparent, eliminating dark lines between tiles. Water resistant. Low odor, low VOC content, non-flammable and easy water clean-up.

Use: Interior only



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00136	1 qt	CLEAR	00136	14.50	6	15.25"x10.25"x5"	0.45	7	84
00137	1 gal	CLEAR	00137	37.75	4	15.5"x15.5"x7.75"	1.08	4	30
00139	4 gal	CLEAR	00139	37.50	1	12"x12"x14"	1.17	8	36

DAP® FRP Adhesive

Trowel grade, latex-based formula for bonding FRP panels to concrete, plaster, plywood and gypsum wallboard. Nonflammable, fast-setting and water resistant.

Use: Interior only



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
60480	1 gal	WHITE	60480	53.75	4	15.5"x15.5"x7.75"	1.08	3	30
60481	4 gal	WHITE	60481	53.75	1	12"x12"x14"	1.17	0	36



### DAPtex® PLUS Multi-Purpose Latex Insulating Foam Sealant



Latex-based formula -Seals, Insulates & Weatherproofs.  
Easy Water Clean-up

- Improved durability, flexibility & water resistance.
- Reusable non-clogging applicator
- Safe for all windows & doors
- For windows, doors, pipes, vents & more.
- Paintable
- 45°F - 95°F application temperature
- Bright White Foam

Use: Interior and exterior



Case Code	Size	Color	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
18836	12 oz	WHITE	7079818836	13.14	12	11"x9"x9.5"	0.54	2	90

### DAP® Barrier Multi-Project Foam Sealant



DAP® BARRIER™ Multi-Project Ready-to-Use Foam is proven to offer complete 4X protection for homes while offering more projects per can and less waste. Barrier's ultra-durable, high-density, all seasons formula blocks drafts, water, fire and pests.

- All seasons formula blocks drafts, water, fire and pests
- Save on energy costs
- Protects foam from mouse attack
- Keeps homes dry & comfortable
- 20°F - 120°F application temperature
- Class 1 Fire-Rated
- Meets AAMA-812
- Stop & start adapter + extra straw = up to 6 weeks reuse
- Bright White Foam

Use: Interior and exterior



Case Code	Size	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
12530	12 oz	7565012530	13.75	12	11.25"x8.63"x9.25"	0.52	4	108

### DAP® HomeSeal™ Minimum Expanding Foam Sealant



Fills and seals smaller gaps and openings.  
Exclusive All-Seasons cure 30°F–120°F (-1°–49°C)

- For smaller gaps less than 1"
- Class 1 Fire-Rated
- Stop & start adapter + extra straw = up to 6 weeks reuse
- Water resistant
- Meets ASTM E84, Class A Fire Rated
- High density
- Off-White Foam

Use: Interior and exterior



Case Code	Size	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00082	12 oz	7565000082	12.90	12	11.5"x8.5"x9"	0.509	3	108

**DAP® No Warp®  
Window & Door  
Foam Sealant**

Low pressure formula won't bow window frames or door jams.

- Meets AAMA standards and 812-04
- Meets ASTM E84; Class 1 Fire Rated
- Stop & start adapter + extra straw = up to 6 weeks reuse
- Stops drafts to save on energy costs
- Blocks water to keep homes dry & comfortable
- Bright White Foam

**Use:** Interior and exterior



Case Code	Size	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
04000	12 oz	7565004000	12.90	12	11.5"x8.5"x9"	0.509	3	108

**DAP® MaxFill™  
Triple Expanding  
Foam Sealant**

Three times the expansion rate to fill gaps greater than 1 inch.

- Weather resistant bond seals out drafts
- Blocks insects and other pests
- Meets ASTM E84; Class 1 Fire Rated
- UL-Listed
- Off-White Foam

**Use:** Interior and exterior



Case Code	Size	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00043	12 oz	7565000043	12.90	12	11.5"x8.5"x9"	0.509	1	108
20012	20 oz	7565020012	20.10	12	11.5"x9"x12.5"	0.75	8	72

**DAP® Mouse Shield®  
Foam Sealant & Blocker**

Mouse Shield® is specially treated to protect the foam from attack by mice, birds, bats and tree squirrels. It also blocks ants, roaches, spiders and bees.

- Safe to use and contains no lingering odor
- Air seals and insulates to save on energy costs
- Tack-free in 15 minutes and dries in 4 hours
- Class 1 Fire-rated
- Stop & start adapter + extra straw = up to 6 weeks reuse
- Paintable/Sandable
- Off-White Foam

**Use:** Interior only



Case Code	Size	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
12506	12 oz	7565012506	6.06	6	8.5"x6"x9"	0.27	0	216



### DAP® FireBreak® Flame Resistant Foam Sealant



The only approved fire block to pass the UL 94 V-0 burn test.

- Meets ASTM E814 and UL 1715
- Type V residential fire block
- Flame spread 5, smoke developed 0
- Meets ASTM E84/UL 723; Class 1 Fire Rated
- Easy-to-identify orange color
- Stop & start adapter + extra straw = up to 6 weeks reuse

**Use:** Interior and exterior



Case Code	Size	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
10012	12 oz	7565010012	13.00	12	11.5"x8.5"x9"	0.509	7	108

### DAP® Landscape Exterior Filler Adhesive



Black, UV-resistant foam that's safe for plant and water life.

- Directs flow in and around water gardens
- Superior adhesive for landscaping projects
- Fills knotholes in trees to seal out pests
- Carbon black color
- Stop & start adapter + extra straw = up to 6 weeks reuse

**Use:** Exterior



Case Code	Size	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
40440	12 oz	7565040440	13.00	12	11.5" x 8.5" x 9"	0.509	9	108

### DAP® Craft Foam



Expanding spray foam specially created for arts & crafts projects.

- Bright white foam
- 2X expansion
- Cures to a hard, rigid surface
- Carvable, sandable & paintable
- Stop & start adapter + extra straw = up to 6 weeks reuse
- Dries to the touch in under 10 minutes, cuttable in 1 hour, fully cured in 24 hours

**Use:** Interior and exterior



Case Code	Size	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
40440	12 oz	7565040440	13.00	12	11.5" x 8.5" x 9"	0.509	9	108



### DAP® Touch 'n Foam® Professional All-Purpose Gun Foam Sealant



FOR GUN APPLICATOR USE

Versatile, Type V residential fire block sealant with greater control for large and small gaps.

- Meets ASTM E814, E84, and UL 1715
- Class 1 Fire-Rated
- Bright orange foam for inspections

Use: Interior and exterior



Case Code	Size	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
02420	24 oz	7565002420	23.40	12	11.5" x 8.75" x 11.5"	0.64	1	72

### DAP® Touch 'n Foam® Professional Window & Door Gun Foam Sealant



FOR GUN APPLICATOR USE

Bright white, low pressure sealant that exerts virtually no force on window frames and door jambs. Outperforms fiberglass.

- Meets AAMA standards and 812-04
- Meets ASTM E84; Class A Fire-Rated
- Class 1 Fire-Rated
- Bright white color

Use: Interior and exterior



Case Code	Size	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
02010	20 oz	7565002010	20.30	12	11.5" x 9" x 12.5"	0.75	4	72

### DAP® Touch 'n Foam® Professional Landscaping Gun Foam Sealant



FOR GUN APPLICATOR USE

Black, UV resistant foam that's ideal for landscaping projects, including retaining walls, ponds and waterfalls.

- Safe for plants and fish
- Directs flow in and around water gardens
- Fills knotholes in trees to seal out pests
- Carbon black color

Use: Interior and exterior



Case Code	Size	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
02450	24 oz	7565002450	23.40	12	11.25"x8.50"x11.50"	0.64	8	72



### DAP® Touch 'n Foam® Professional Low Temp Gun Foam Sealant



FOR GUN APPLICATOR USE

Suitable for use at temperatures as low as 20°F.

- Type V residential fire block
- Low curing pressure – can be used to seal windows and doors
- ICC-ES ESR-1926 approved
- Meets AAMA 812-04
- Class 1 fire resistance
- Off-white color

Use: Interior and exterior



Case Code	Size	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
02450	24 oz	7565002450	23.40	12	11.25"x8.50"x11.50"	0.64	8	72

### DAP® Barrier Multi-Project Gun Foam Sealant



FOR GUN APPLICATOR USE

DAP® BARRIER™ Multi-Project Gun-Grade Foam is proven to offer complete 4X protection for homes while offering more projects per can and less waste. Barrier's ultra-durable, high-density, all seasons formula blocks drafts, water, fire and pests.

- All seasons formula blocks drafts, water, fire and pests
- Save on energy costs
- Protects foam from mouse attack
- Keeps homes dry & comfortable
- 20°F - 120°F application temperature
- Meets AAMA-812
- Class 1 fire rated
- Orange in color for easy building inspections

Use: Interior and exterior



Case Code	Size	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
12532	23 oz	7565012532	23.37	12	11"x8.75"x11.50"	0.641	8	72

### DAP® Touch 'n Seal® Gun Foam II Fireblock Sealant



FOR GUN APPLICATOR USE

Type V residential fire block sealant with distinctive orange color.

- ICC-ES ESR-1926 approved
- Class 1 fire resistance
- Orange foam for inspections

Use: Interior



Case Code	Size	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00121	24 oz	7565000121	23.8	12	11"x8.75"x11.5"	0.64	9	72



**DAP® Touch 'n Seal®  
All Seasons  
Low Temperature  
Gun Foam**



FOR GUN APPLICATOR USE

Suitable for use at temperatures as low as 20°F.

- Type V residential fire block
- Low curing pressure – can be used to seal windows and doors
- ICC-ES ESR-1926 approved
- Meets AAMA 812-04
- Class A fire rated
- Off-white color foam

**Use:** Interior and exterior



Case Code	Size	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00044	24 oz	7565000044	23.38	12	11"x8.75"x11.5"	0.64	1	72

**DAP® Touch 'n Seal®  
No Warp  
Window & Door  
Gun Foam**



FOR GUN APPLICATOR USE

Low expansion and pressure during cure for sealing windows and doors.

- Meets AAMA 812-04
- ICC-ES ESR-1926 approved
- Class A fire rated
- Bright white color foam

**Use:** Interior and exterior



Case Code	Size	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
29712	20 oz	7565029712	20.39	12	11.5" x 9" x 12.5"	0.749	4	72

**DAP® Touch 'n Seal®  
Pest Control  
Gun Foam**



FOR GUN APPLICATOR USE

Low expansion and pressure during cure for sealing windows and doors.

- Meets AAMA 812-04
- ICC-ES ESR-1926 approved
- Class A fire rated
- Gray color foam
- Blocks mice and pests

**Use:** Interior only



Case Code	Size	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
00125	24 oz	7565000125	23.8	12	11.25"x8.50"x11.5"	0.64	7	72



**DAP® Touch 'n Seal®  
Black Gun Foam  
Polyurethane Sealant and  
Adhesive**



FOR GUN APPLICATOR USE

UV-resistant gun foam specially formulated to blend in with landscaping, RV, automotive, HVAC and other applications.

- Use to bond stones for landscaping and waterfall/pond applications
- Formulated to resist discoloration in exterior applications
- Air Sealing for RV/automotive applications
- Black color blends in with black piping and auto undercarriages

**Use:** Interior and exterior



Case Code	Size	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
29813	24 oz	7565029813	23.38	12	11"x8.75"x11.5"	0.64	5	72

**DAP® Touch 'n Seal®  
Quick Cure  
1-Component Sealant  
Straw Foam**



STRAW & ADAPTER INCLUDED

Maximum expanding straw foam for sealing gaps & cracks.

- Residential fire block sealant
- ICC-ES ESR-1926 approved
- Class A fire rated
- Reusable

**Use:** Interior and exterior



Case Code	Size	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
7565000057	12 oz	7565000057	12.95	12	11.5"x8.5"x9"	0.50	8	108
7565010058	24 oz	7565000058	23.45	12	11"x8.75"x11.5"	0.64	5	72

**DAP® Touch 'n Seal®  
Fireblock Straw  
Foam Sealant**



STRAW & ADAPTER INCLUDED

Touch 'n Seal® FIREBLOCK is a flame-resistant, Class A fire-retardant foam sealant that exceeds testing standards. It is self-extinguishing and works by eliminating oxygen flow in service penetrations, where fire may spread.

- The only self-extinguishing formula on the market
- Flame resistant, all-purpose foam sealant
- Fills & seals service penetrations
- Blocks air infiltration reducing flame spread into walls & ceilings
- Excellent performance in modified ASTM E-814 & UL-1715 tests
- UL94 Flammability Test - pass best rating V-0
- Easy-to-identify orange color

**Use:** Interior and exterior



Case Code	Size	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
7565010030	12 oz	7565010030	12.95	12	11.5"x8.5"x9"	0.509	1	108



**DAP® Touch 'n Seal®  
Quick Cure  
1 Component Sealant**

Portable for larger jobs; cylinder comes with 10 ft hose and applicator.

- Residential fire block sealant
- ICC-ES ESR-1926 approved
- Class A fire rated
- Creates a durable, air-tight seal
- Prevents air, water, and pest infiltration
- Superior adhesion to common building materials
- Available in reduced Expansion (RX) and High Yield (HY) formulas



Case Code	Formula	Size	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
7565000062	HY	10 lb	7565000062	16.56	1	7.75"x7.75"x14.75"	0.51	5	90
7565000064	HY	16 lb	7565000064	25.04	1	10.0"x10.0"x17.25"	1.00	9	50
7565000063	RX	10 lb	7565000063	16.56	1	7.75"x7.75"x14.75"	0.51	2	90
7565000065	RX	16 lb	7565000065	25.05	1	10.0"x10.0"x17.25"	1.00	6	50
7565000066	HY Low GWP	10 lb	7565000066	16.56	1	7.75"x7.75"x14.75"	0.51	3	90
7565000068	HY Low GWP	16 lb	7565000068	25.04	1	10.0"x10.0"x17.25"	1.00	7	50
7565000067	RX Low GWP	10 lb	7565000067	16.56	1	7.75"x7.75"x14.75"	0.51	0	90
7565000069	RX Low GWP	16 lb	7565000069	25.05	1	10.0"x10.0"x17.25"	1.00	4	50

**DAP® Touch 'n Foam®  
Professional  
10lb Foam Sealant**

10 lb Foam Sealant is a high performance, single component, Class 1 rated fire retardant polyurethane foam. It is moisture cured, won't shrink and helps reduce energy costs.

- Creates a durable, air-tight seal
- Prevents air, water, and pest infiltration
- Superior adhesion to common building materials
- Reduces energy loss and helps save on heating & cooling costs
- Does not trap moisture, dust, and allergens unlike fiberglass insulation
- Closed cell structure



Case Code	Size	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
10001	10 lb	7565010001	16.56	1	7.75"x7.75"x14.76"	0.51	6	90
00066	10 lb Low GWP	7565000066	16.56	1	7.75"x7.75"x14.76"	0.51	0	90



**DAP® AirStop  
Elastomeric Air Sealant**

AirStop is designed to be an easy-to-apply sealant for areas of potential leaks in the building envelope.

- Helps achieve the air leakage requirements of the International Energy Conservation Code (IECC)
- Bridges and penetrates gaps for a tight air seal
- Remains flexible after curing for a lasting seal
- Material contains no solvents
- Easy clean-up with water
- Ready-to-use formula requires no mixing
- Available in 27 lb pail and 20 fl oz sausage pack



Case Code	Size	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
51005	20 oz	7565051005	13.17	12	13.5"x8.25"x6.75"	0.43	3	78
50005	27 lb	7565050005	30.00	1	12.5"x12.5"x14.8"	1.34	4	36



**DAP® Touch 'n Foam® Professional System 15 Spray Foam Insulation Kit**

Comes with pre-attached hoses, an ergonomic foam applicator, disposable gloves and detailed instructions.

- Use for hole repairs and touch ups
- Yields up to 15 bd ft
- Class A Fire-Rated
- Class II Vapor Retarder @ 2"
- R-Value 6.2 per inch (6.6 per inch Low GWP)



Product Code	Size	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	Cases per Pallet
7565002506	System 15	21.27	6	13.25"x12"x12.75"	1.17	48
7565002515	System 15 Low GWP	21.27	6	13.25"x12"x12.75"	1.17	48

**DAP® Touch 'n Foam® Professional System 200 Spray Foam Insulation Kit**

Comes with pre-attached hoses, an ergonomic foam applicator, disposable gloves, safety glasses and detailed instructions.

- Ideal for sealing basement sill plates and rim/band joists.
- Yields up to 200 bd ft
- Class A Fire-Rated
- Class II Vapor Retarder @ 2"
- R-Value 6.2 per inch (6.6 per inch Low GWP)



Product Code	Size	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	Cases per Pallet
7565062200	System 200	41.56	1	15.25"x10"x15.25"	1.34	36
7565062620	System 200 Low GWP	41.56	1	15.25"x10"x15.25"	1.34	36

**DAP® Touch 'n Foam® Professional System 600 Spray Foam Insulation Kit**

Comes with pre-attached hoses, an ergonomic foam applicator, disposable gloves, safety glasses and detailed instructions.

- Perfect for insulating stud wall cavities (up to 2" thick) and crawl spaces and attic rafters.
- Yields up to 600 bd ft
- Class A Fire-Rated
- Class II Vapor Retarder @ 2"
- R-Value 6.2 per inch (6.6 per inch Low GWP)



Product Code	Size	Case Weight (lb)	Case Pack	Case Dimensions LxWxH (per box)	Case Volume (cu ft)	Cases per Pallet
7565062600	System 600	115.00	1	12.5"x12.5"x18.75"	1.69	16
7565062610	System 600 Low GWP	115.00	1	12.5"x12.5"x18.75"	1.69	16



**DAP® Touch 'n Seal®  
Foam Kit 15  
Spray Foam  
Insulation Kit**

Touch 'n Seal foam kits are 2-component low-pressure spray-applied or pour-in-place polyurethane foam systems for air sealing and insulating residential, commercial, industrial and agricultural structures. The components are mixed and applied with the patented applicator to produce rapid-cure polyurethane foam insulation.

- Ready-to-use – contain everything needed
- Portable
- ASTM E84 Class A fire rated
- Reduces energy loss by as much as 30%
- Reduces sound transmission
- Does not shrink or settle
- Yields up to 15 board feet



Product Code	Size	R Value	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	Cases per Pallet
7565020015	15 FR	6.2	43.13	12	23.5"x13.25"x 12.75"	2.23	24
7565002015 (Low GWP)	15	6.6	43.13	12	23.5"x13.25"x12.75"	2.23	24

**DAP® Touch 'n Seal®  
Foam Kit 200  
Spray Foam  
Insulation Kit**

- Ready-to-use – contain everything needed
- Portable
- Easy to carry using Rip 'n Go handle
- Yields up to 200 Board Feet
- ASTM E84 Class A fire rated
- Reduces sound transmission
- Does not shrink or settle
- Class II vapor retarder @ 2" (ICC)



Product Code	Size	R Value	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	Cases per Pallet
7565000054 (Standard)	200 FR	6.2	40.32	1	15.25"x10"x15.25"	1.35	36
7565001200 (ICC)	200 FR	6.2	42.00	1	15.25"x10"x15.25"	1.35	36
7565022120 (Slow Rise 120)	200 FR	5.5	40.32	1	15.25"x10"x15.25"	1.35	36
7565002200 (Low GWP)	200	6.6	41.56	1	15.25"x10"x15.25"	1.35	36

**DAP® Touch 'n Seal®  
Foam Kit 600  
Spray Foam  
Insulation Kit**

- Ready-to-use – contain everything needed
- Portable
- Yields up to 600 Board Feet
- ASTM E84 Class A fire rated
- Reduces sound transmission
- Does not shrink or settle
- Class II vapor retarder @ 2" (ICC)



Product Code	Size	R Value	Case Weight (lb) (both boxes)	Case Pack	Case Dimensions LxWxH (per box)	Case Volume (cu ft)	Cases per Pallet
7565000056 (Standard)	600 FR	6.2	107.00	1	12.5"x12.5"x16.55"	1.49	16
7565021600 (ICC)	600 FR	6.2	110.51	1	12.5"x12.5"x16.55"	1.49	16
7565026120 (Slow Rise)	600 FR	5.5	112.00	1	12.5"x12.5"x16.55"	1.49	16
7565002600 (Low GWP)	600	6.6	115.00	1	12.5"x12.5"x16.55"	1.695	16



1.75 PCF FR STANDARD - Closed Cell

Touch 'n Seal 2-Component 1.75 PCF FR Standard foam is a closed cell spray foam insulation that provides ASTM E-84 Class A Fire Rating as well as thermal insulating and sound attenuating properties.

Table with 3 columns: Item #, Description, Coverage\* bd ft. Lists items like Foam Kit 15, 110, 200, 600 and Refill RF-17, RF-60, RF-120.

1.75 PCF FR ICC - Closed Cell

Touch 'n Seal 2-Component 1.75 PCF ICC foam is a closed cell spray foam insulation that provides ASTM E-84 Class A Fire Rating and complies with ICC Evaluation Services listing ESR-3052.

Table with 3 columns: Item #, Description, Coverage\* bd ft. Lists items like Foam Kit 200, 600 and Refill RF-17, RF-60, RF-120, CP-750.

1.75 PCF SLOW RISE 120 - Closed Cell

Touch 'n Seal Slow Rise 120 is designed for pour-in-place applications where foam needs to completely fill cavities or spaces without creating voids or excessive pressure.

Table with 3 columns: Item #, Description, Coverage\* bd ft. Lists items like Foam Kit 200, 600 and Refill RF-17, RF-60, RF-120.

\* Theoretical Coverage/Yield

1.0 PCF FR STANDARD - Open Cell

Touch 'n Seal Low Density 1.0 PCF Spray Foam is an open-cell, non-structural air sealing and insulating foam. Due to its low density, more expansion will occur - approximately 10-12 times the dispensed froth.

Table with 3 columns: Item #, Description, Coverage\* bd ft. Lists items like Foam Kit 300, 1000 and CP-1200.

2.0 PCF FR ICC - Closed Cell

Touch 'n Seal 2.0 PCF Spray Foam is suitable for use in both commercial and recreational watercraft. It offers increased structural strength, superior sound control and excellent thermal insulation.

Table with 3 columns: Item #, Description, Coverage\* bd ft. Lists items like Foam 1800, 6000, 13500 Refillable and CP-660.

3.0 PCF FR ICC - Closed Cell

Touch 'n Seal 3.0 PCF is a high compressive strength foam for use in new installations and for repairs or renovations of existing spray foam roofs.

Table with 3 columns: Item #, Description, Coverage\* bd ft. Lists items like Foam Kit 120 (Low GWP).



**DAP® Touch 'n Seal® HVAC Foam Kit 200 Spray Foam Insulation Kit**

- Ready-to-use – contain everything needed
- Portable
- Easy to carry using Rip 'n Go handle
- Yields up to 200 Board Feet
- Ideal for smaller or hard to reach duct work, such as runouts and boots
- Includes 10' hose & 10 cone nozzles



Product Code	Size	R Value	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	Cases per Pallet
7565021044	200 FR HVAC	6.2	42.00	1	15.25"x10"x15.25"	1.34	36

**DAP® Touch 'n Seal® HVAC Foam Kit 600 Spray Foam Insulation Kit**

- Ready-to-use – contain everything needed
- Portable
- Yields up to 600 Board Feet
- Ideal for duct diameter of 12-14" and greater trunk lines
- Includes 15' hose & 10 cone nozzles



Product Code	Size	R Value	Case Weight (lb) (both boxes)	Case Pack	Case Dimensions LxWxH (per box)	Case Volume (cu ft)	Cases per Pallet
7565021039	600 FR HVAC	6.2	114.00	1	12.5"x12.5"x18.5"	1.49	16

**DAP® Touch 'n Seal® HVAC Foam Kit 750 CPDS – Constant Pressure Dispensing Kit**

- For Use With CPDS Series 2 Machine
- Yields up to 750 Board Feet
- Ideal for the completion of the entire job, consisting of a trunk, runouts and boots



Product Code	Size	R Value	Case Weight (lb) (both boxes)	Case Pack	Case Dimensions LxWxH (per box)	Case Volume (cu ft)	Cases per Pallet
7565021038	750 FR HVAC	4.9	155.72	1	12.5"x12.5"x22"	1.99	24



**DAP® Touch 'n Seal®  
Refillable Systems**

- Returnable cylinders
- Best for OEM operations
- Low investment
- 1.75 PCF Refills in Standard, ICC, and Slow Rise, available in 3 sizes:  
17 gallon, 60 gallon, 120 gallon



Product Description	Standard	ICC	Slow Rise	Canister Size	Board Ft Coverage	Dimensions LxWxH	Weight (lb)
RF-17	7565051000	7565010000	7565020120	17 gal	2,000	15" x 15" x 34"	>300
RF-60	7565060000	7565066000	7565061120	60 gal	6,800	24" x 24" x 46"	>1000
RF-120	7565051200	7565013000	7565014120	120 gal	15,400	30" x 30" x 57"	>2250

**DAP® Touch 'n Seal®  
CPDS Series 2 –  
Constant Pressure  
Dispensing System**

- Ideal for mid-sized projects such as room additions, attics, rim joists, and crawl spaces
- Offers the convenience of Foam Kits with higher output and efficiency
- Application rate is adjustable and consistent
- Self-contained system does not require any additional equipment
- Disposable cylinders are easy to handle and change
- 100' hose; foam applicator; on/off valves – fully assembled
- Conical nozzles (25 pack)
- Fan nozzles (25 pack)
- Extra foam applicator with 12" hose
- Protective cover
- Forced air heating unit
- Extra pressure supply hoses (2)



Product Code	Weight (lb)	Unit Dimensions LxWxH
7565000150	175.00	26" x 33" x 49"

**DAP® Touch 'n Seal®  
CPDS – Constant Pressure  
Dispensing Kit**

- Perfect for insulating stud wall cavities (up to 2" thick) and crawl spaces.
- Class A Fire-Rated
- ASTM E84 Class A fire resistance
- Reduces sound transmission
- Does not shrink or settle
- Class II vapor retarder @ 2" (ICC)



Product Code	Size	R Value	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	Bd Ft Coverage	Cases per Pallet
7565050120 (Low Density)	CP-1200 FR	4.9	132.83	1	12.5"x12.5"x22"	1.99	1200	24
7565000750 (ICC)	CP-750 FR	6.2	155.72	1	12.5"x12.5"x22"	1.99	750	24
7565007520 (Slow Rise 120)	CP-750 SR 120	5.5	136.88	1	12.5"x12.5"x22"	1.99	750	24
7565002750 (Low GWP)	CP-750	6.6	155.72	1	12.5"x12.5"x22"	1.99	750	24



**DAP® Touch 'n Seal® Storm Bond® Roof Tile Adhesive**



Miami-Dade County  
Product Control Approved  
N.O.A No. 17-0306.06  
Florida Building Code Approved  
FL14506-R3, FL 22609-R1

Storm Bond is a one-component spray foam roof tile adhesive that is available in 23 lb cylinders and 24 oz straw foam cans.

- Aerosol can and cylinder are easy to carry
- Great for spot repairs on roof
- Makes cut tile at valleys easier to install
- No ozone depleting chemicals
- Miami-Dade County and Florida Building Code approved

**Use:** Interior and exterior



Product Code	Size	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	Cases per Pallet
7565029470	24 oz	23.34	12	11.5"x8.5"x12.5"	0.70	72
7565017170	23 lb	31.41	1	10"x10"x17.25"	0.99	50

**DAP® Touch 'n Seal® Storm Bond® 2 Component Roof Tile Adhesive**



Miami-Dade County  
Product Control Approved  
N.O.A No. 17-0829.12  
Florida Building Code Approved  
FL 21374, FL 22609

Storm Bond 2 is a fast-curing, ultra-strong, two-component adhesive that virtually eliminates the need for nail and screw penetrations in the roof.

- Superior bonding strength
- May be walked on within minutes
- Reduces tile breakage during installation
- Miami-Dade County and Florida Building Code approved
- Yields up to 400 tiles\*

**Use:** Interior and exterior



\*Based on a 30 mg Medium Patty

Product Code	Size	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	Cases per Pallet
7565071200	SB 200	41.00	1	16"x10"x15"	1.34	36

**DAP® Touch 'n Seal® Storm Bond® 2 Component Roof Tile Adhesive**



Miami-Dade County  
Product Control Approved  
N.O.A No. 17-0829.12  
Florida Building Code Approved  
FL 21374, FL 22609

Storm Bond 2 is a fast-curing, ultra-strong, two-component adhesive that virtually eliminates the need for nail and screw penetrations in the roof.

- Superior bonding strength
- May be walked on within minutes
- Reduces tile breakage during installation
- Miami-Dade County and Florida Building Code approved
- Yields up to 1,295 tiles\*

**Use:** Interior and exterior



\*Based on a 30 mg Medium Patty

Product Code	Size	Case Weight (lb)	Case Pack	Case Dimensions LxWxH (per box)	Case Volume (cu ft)	Cases per Pallet
7565017000	SB 600	114	1	19"x12"x13"	1.72	16



**DAP® Touch 'n Seal®  
Mine Block Mortar  
Mine Stopping Adhesive**


- MSHA listed sealant for bonding mine ventilation blocks.
- Cures and adheres to block within 30 minutes
  - Underground coal mine ventilation control adhesive
  - Standard 6" wide or larger hollow core or solid concrete block: Suitability Number MSHA-ST25/0
  - 6" x 12" x 24" or larger AAC lightweight block: Suitability Number MSHA-ST30/0
  - Not affected by moisture or temperature during curing
  - Eliminates the need for parge coating
  - Retains full function after 1 hour fire test (ASTME 119)



Product Code	Size	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	Cases per Pallet
7565017160	20 lb	29.59	1	10"x10"x17.5"	1.01	50

**DAP® Touch 'n Seal®  
Rib & Roof  
Air & Moisture Control  
System**

- Controls scaling and spalling of coal from ribs and roofs of underground mines.
- Yields up to 1500 sq ft @ 3/8" thickness
  - Stops spalling
  - Does not require pumps, water, compressors or supplied air
  - Stops air leaks in old seals and on stopping ribs
  - Reduces dust
  - ASTM E84 Class A fire rated
  - Reusable applicator with 30 ft hose
  - No offensive odor during use or after cured
  - Bright, reflective beige color



Product Code	Size	Case Weight (lb)	Case Pack	Case Dimensions LxWxH (per box)	Case Volume (cu ft)	Cases per Pallet
7565022600	600 FR	109.00	1	12.5"x25"x18.5"	3.35	32



**DAP® Touch 'n Seal®  
Linear Bond  
Trailer Adhesive**

- Adjustable output for precise control of bead size
- Coated non-stick basket
- Total liner adhesion with a 30 minute dry time, allowing time for proper liner placement



Product Code	Size	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit
7565017100	23 lb	32.73	1	10"x10"x17.25"	1.0	4



### DAP® Comfort Spray Foam Applicator Gun

Universal 1-Component straw foam applicator that offers total control with a natural trigger feel.

- Ergonomic design provides maximum comfort & control
- Responsive soft-touch trigger reduces fatigue & helps prevent overspray & mess
- Attaches easily & universally to most straw-grade aerosol spray foam cans
- Durable & reusable
- For use with most gun foams



Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
7565070230	1.93	6	7.375" x 2.25" x 8.25"	3.36	7	96

### DAP® Touch 'n Seal® Sharpshooter-X Gun Foam Applicator

- Adjustable output for precise control of bead size
- Coated non-stick basket
- Reusable
- For use with most gun foams



Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
7565010608	1.07	1	26.25" x 15" x 14.75"	3.36	2	600

### DAP® Touch 'n Seal® Sharpshooter-D Gun Foam Applicator

- Adjustable output for precise control of bead size
- Economical, disposable



Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
7565000172	5.55	6	15"x7.5"x13.25"	0.86	1	60

### DAP® Touch 'n Foam® Professional Precision Foam Applicator Gun

For more precise control and comfort, the Precision Foam Dispenser provides a convenient solution for insulating gaps and cracks. Use with Touch 'n Foam Professional gun grade polyurethane foam sealants.



Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
7565028775	6.95	6	15.25"x6.75"x14"	0.83	0	60



### DAP® Touch 'n Seal® Long Barrel Gun Foam Applicator

- Adjustable output for precise control of bead size
- Coated non-stick basket
- 28" and 46" sizes
- For use with most gun foams



Product Code	Size	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit
7565010028	28"	2.19	1	28.25"x9.5"x2.25"	0.35	8
7565010639	46"	1.97	1	45"x7.63"x2"	0.40	6

### DAP® Touch 'n Seal® Bottom Load Applicator

- Adjustable output for precise control of bead size
- Economical, disposable
- For use with one-component cylinders



Product Code	Size	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit
7565010629	7"	0.85	1	14.88"x6.5"x2.25"	0.13	7

### DAP® Touch 'n Seal® Poly-Clean Foam Cleaner

- Cleans foam in and around gun applicators.
- Attaches to applicator to flush barrel
  - Removes uncured foam from tools
  - Reusable dispensing
  - Zero VOC formula



Product Code	Size	Case Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
7565012000	12 oz	7565012000	12.99	12	11.5"x8.5"x9"	0.51	2	108

### DAP® Touch 'n Foam® Professional Foam Cleaner

- Foam cleaner that removes uncured (wet) polyurethane foam from gun foam applicators and other tools.
- Cleans uncured foam from foam gun applicators and other tools
  - Dual dispensing - use spray nozzle or attach foam applicator for flushing & cleaning gun applicators
  - Reusable
  - Works for both one-component and two-component foam



Case Code	Size	Product Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
7565028700	12 oz	7565028700	12.99	12	11.5"x8.5"x9"	0.51	2	108



**DAP Products Inc.**  
2400 Boston Street, Suite 200  
Baltimore, MD 21224  
(800) 543-3840  
dap.com